

"No carelessness until there is a cure. Wear Mask, follow physical distancing & maintain hand hygiene."

By Speed Post / Messenger / Email

**PUBLIC GRIEVANCES COMMISSION**  
(Govt. of NCT of Delhi)  
M-Block, Vikas Bhawan, I. P. Estate, New Delhi-110110  
Tel No. 011- 23379900, 23379901, Fax No. 011-23370903  
Website: [www.pgc.delhigovt.nic.in](http://www.pgc.delhigovt.nic.in) : E-mail: [pgcdelhi@nic.in](mailto:pgcdelhi@nic.in)



**Order under Para 2(B) of the PGC Resolution No F.4/14/94-AR dated 25.9.97**

Date: 07.06.2022

Complainant : Sh.Vikram Singh  
Respondent : The Chief Executive Officer,  
Delhi Jal Board, GNCTD  
Grievance No. : PGC/2022/A.II/DJB/44

**1. Brief facts of the case**

1.1 Sh. Vikram Singh has filed a grievance petition before Public Grievances Commission, regarding new water connections.

**2. Facts emerged during the proceedings.**

2.1 None present on behalf of the respondent department. No action taken report received.

2.2 The complainant is not present. However, an e-mail has been received from him/her on June 07, 2022. It is stated in the letter that his/her water connection problem has been resolved on 18.05.2022 by Delhi Jal Board. He thanked the Commission for support and withdrawn his/her complaint against Delhi Jal Board.

**3. Directions :**

3.1 In view of the submissions made in the said e-mail by the complainant, the case stands disposed of.

( MRS. MADHU SHARAN )  
MEMBER(PGC)

PGC/2022/A.II/DJB/44

Date:

1. The Chief Executive Officer, Delhi Jal Board, GNCT of Delhi, Varunalaya, Phase- II, Jhandewalan, New Delhi-110005.
2. The Nodal Officer, Delhi Jal Board, GNCT of Delhi, 5<sup>th</sup> floor, Varunalaya, Phase-II, Jhandewalan, New Delhi-110005.
3. Shri B.L. Kuru, Public Grievances Officer, Delhi Jal Board, GNCT of Delhi. E mail: [ee.blkuru1963@gmail.com](mailto:ee.blkuru1963@gmail.com)
4. Shri Vikram Singh.