



**GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI**  
**HEAD QUARTERS: DELHI FIRE SERVICE NEW DELHI-110001**

No: F.6/DFS/MS/School/WZ/2023/ 14

Dated: 06/01/2023

**FIRE SAFETY CERTIFICATE**


Certified that the Govt. Co-ed Sarvodaya Vidyalaya Located at Rampura, New Delhi - 110035 comprised of 04 Blocks Ground + 01 Upper floor each was issued FSC vide letter No. F6/DFS/MS/SCHOOL/2019/2012 dated 21/10/2019, the premises was re inspected by the officer concerned by this department on 23/12/2022 in the presence of Sh. Pawan Sharma (Estate Manager) and observed that fire prevention and fire safety arrangements provided in the premises, found in good working condition. The premises have therefore, deemed complied with the fire prevention and fire safety requirements in accordance with the circular issued by Circular no. 3298-3398 dated 01/03/2011 and that the premises is fit for occupancy class "Educational" Group-B, with effect from 06/01/2023.....for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to the compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010 Condition mentioned below.

Issued on 06/01/2023 at New Delhi.

  
(Dharampal Bhardwaj)  
Dy. Chief Fire Officer  
West Zone

Copy to: -

1. Govt. Co-ed Sarvodaya Vidyalaya, located at Rampura, New Delhi-110035.
2. Director of Education, Old Secretariat, New Delhi-110054.

  
03/01/2023

**Following fire safety directives must be adhered to:-**

1. All the fire safety arrangements provided therein shall be maintained in good working condition at all times.
2. Any loss of life or property due to non-functional fire safety measures shall be at the risk and responsibility of the management.
3. The trained staff should be available round the clock.
4. Any deviations w.r.t. construction shall be verified by the concerned building sanctioning agency.
5. The certificate may not be treated in any case for the regularization of the unauthorized construction, if any.
6. The owner/ occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this certificate, six months prior to its expiry.
7. The owner/occupier shall submit a declaration every year in the form 'K' provided in the first schedule of Delhi Fire Service Rules 2010, form is available on [www.dfs.delhigovt.nic.in](http://www.dfs.delhigovt.nic.in).

## INSPECTION REPORT

M-4

1. Name & address of the building : Govt. Co-ed Sarvodaya kanya Vidyalaya Located at Rampura, New Delhi - 110035.
2. Type of Occupancy : Educational Block 04 (Ground + 01 Upper Floor)
3. Type of Case : Renewal
4. Details of previous NOC : F6/DFS/MS/School/2019/2012 dated 21/10/2019
5. Fire Safety directives letter No : DOE 3298-3398 dated 01/03/2011
6. Date of inspection : 23/12/2022
7. Name of the Inspecting Officers : Sarabeet Singh ADO(MN)
8. Name and designation of officers from the building side : Smt. Pawan Sharma (Estate Manager)
9. Year of Construction : 1958 (As Per Prev. Insp. Report dated: - 03/10/2019)
10. Applicant's letter No. : Email dated: - 13/10/2022

S. No.	Minimum Standards on fire prevention and fire safety U/R 33	DOE 3298-3398 dated 01/03/2011 As Per Pre. Insp. Report dtd:- 03/10/2019	Provided at site	Remarks MR/NMR
1	<b>Access to building</b>			
	<ul style="list-style-type: none"> <li>• Road width</li> <li>• Gate width</li> <li>• Width of internal road</li> </ul>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">5 mts</div> <div style="width: 45%;">Provided</div> </div> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">03 mts</div> <div style="width: 45%;">Provided</div> </div> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">NA</div> <div style="width: 45%;">NA</div> </div>		<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">MR</div> <div style="width: 45%;">MR</div> </div> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">MR</div> <div style="width: 45%;">MR</div> </div> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">NA</div> <div style="width: 45%;">NA</div> </div>
2	<b>Number, Width, Type &amp; Arrangement of Exits</b>			
	a. Number of staircases			
	<ul style="list-style-type: none"> <li>• Upper Floors</li> <li>• Basements</li> </ul>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">2 for BL -1, 1 for BL-2, BL-3 &amp; BL-4</div> <div style="width: 45%;">2 for BL -1, 1 for BL-2, BL-3 &amp; BL-4 Provided</div> </div>		MR ( being old Case)
	<ul style="list-style-type: none"> <li>• Basements</li> </ul>	NA	NA	NA
	b. Width of staircases			
	<ul style="list-style-type: none"> <li>• Upper Floors</li> <li>• Basements</li> </ul>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">1.5 mts</div> <div style="width: 45%;">BL - 1 = 2 x 150 cm, BL - 2 = 1 x 147 cm &amp; BL - 3 &amp; BL-4 = 150 cm each</div> </div>		MR
	<ul style="list-style-type: none"> <li>• Basements</li> </ul>	NA	NA	NA
	c. Protection of exits			
	<ul style="list-style-type: none"> <li>• Fire check door</li> <li>• Pressurization</li> </ul>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">NA</div> <div style="width: 45%;">NA</div> </div>		NA
	<ul style="list-style-type: none"> <li>• Fire check door</li> <li>• Pressurization</li> </ul>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">NA</div> <div style="width: 45%;">NA</div> </div>		NA
	e. No. of continuous staircases to terrace	01	Provided	MR
	f. Width of Corridor	Required	210 cm Provided	MR
	g. Door Size	1 mts	01 mtr Provided	MR
3	<b>Compartmentation.</b>			
	<ul style="list-style-type: none"> <li>• Fire check door</li> <li>• Sealing of electrical shafts</li> <li>• Fire Rating of shaft door</li> <li>• Water Curtain</li> <li>• Fire Dampers</li> </ul>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">NA</div> <div style="width: 45%;">NA</div> </div>		NA
	<ul style="list-style-type: none"> <li>• Fire check door</li> <li>• Sealing of electrical shafts</li> <li>• Fire Rating of shaft door</li> <li>• Water Curtain</li> <li>• Fire Dampers</li> </ul>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">NA</div> <div style="width: 45%;">NA</div> </div>		NA
	<ul style="list-style-type: none"> <li>• Fire check door</li> <li>• Sealing of electrical shafts</li> <li>• Fire Rating of shaft door</li> <li>• Water Curtain</li> <li>• Fire Dampers</li> </ul>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">NA</div> <div style="width: 45%;">NA</div> </div>		NA
	<ul style="list-style-type: none"> <li>• Fire check door</li> <li>• Sealing of electrical shafts</li> <li>• Fire Rating of shaft door</li> <li>• Water Curtain</li> <li>• Fire Dampers</li> </ul>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">NA</div> <div style="width: 45%;">NA</div> </div>		NA
	<ul style="list-style-type: none"> <li>• Fire check door</li> <li>• Sealing of electrical shafts</li> <li>• Fire Rating of shaft door</li> <li>• Water Curtain</li> <li>• Fire Dampers</li> </ul>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">NA</div> <div style="width: 45%;">NA</div> </div>		NA
4	<b>Smoke Management System.</b>			
	<ul style="list-style-type: none"> <li>• Basements</li> <li>• Upper floors</li> </ul>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">NA</div> <div style="width: 45%;">NA</div> </div>		NA
	<ul style="list-style-type: none"> <li>• Basements</li> <li>• Upper floors</li> </ul>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">NA</div> <div style="width: 45%;">NA</div> </div>		NA
5	<b>Fire Extinguishers</b>			
	<ul style="list-style-type: none"> <li>• Total numbers</li> <li>• Types</li> <li>• IS marking</li> </ul>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">21 nos. CO<sub>2</sub>, ABC type ISI marked</div> <div style="width: 45%;">Provided</div> </div>		MR
	<ul style="list-style-type: none"> <li>• Total numbers</li> <li>• Types</li> <li>• IS marking</li> </ul>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">21 nos. CO<sub>2</sub>, ABC type ISI marked</div> <div style="width: 45%;">Provided</div> </div>		MR
	<ul style="list-style-type: none"> <li>• Total numbers</li> <li>• Types</li> <li>• IS marking</li> </ul>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">21 nos. CO<sub>2</sub>, ABC type ISI marked</div> <div style="width: 45%;">Provided</div> </div>		MR

6	<b>First-Aid Hose Reels.</b>			
	<ul style="list-style-type: none"> <li>Total numbers on each floor</li> <li>Length of hose reel hose</li> <li>Nozzle diameter</li> </ul>	NA	Provided in Old BL	NA
		NA	30m Provided	NA
		NA	5mm Provided	NA
7	<b>Automatic fire detection and alarming system.</b>			
	<ul style="list-style-type: none"> <li>Type of detectors</li> <li>Location of Main Panel</li> <li>Location of Repeater Panel</li> <li>Alternate source of power</li> <li>Hooters' Location</li> </ul>	NA	NA	NA
		NA	NA	NA
		NA	NA	NA
		NA	NA	NA
		NA	NA	NA
8	<b>MOEFA</b>	NA	NA	NA
9	<b>Public Address System.</b>	NA	NA	NA
10	<b>Automatic Sprinkler System.</b>			
	<ul style="list-style-type: none"> <li>Basement</li> <li>Upper Floor</li> <li>Sprinkler above false ceiling</li> </ul>	NA	NA	NA
		NA	NA	NA
		NA	NA	NA
11	<b>Internal Hydrants</b>			
	<ul style="list-style-type: none"> <li>Size of riser/down-comer</li> <li>Number of hydrants per floor</li> <li>Hose Box</li> </ul>	NA	NA	NA
		NA	NA	NA
		NA	NA	NA
12	<b>Yard Hydrants.</b>			
	<ul style="list-style-type: none"> <li>Total number of hydrants</li> <li>Hose Box</li> </ul>	NA	NA	NA
		NA	NA	NA
13	<b>Pumping Arrangements.</b>			
	<ul style="list-style-type: none"> <li>Ground Level <ul style="list-style-type: none"> <li>Discharge of main Pump</li> <li>Head of Main pump</li> <li>Number of main pumps</li> <li>Jockey Pump out put</li> <li>Jockey pump head</li> <li>Standby Pump out put</li> <li>Standby Pump Head</li> <li>Auto Starting/ Manual stopping</li> <li>Pump House Access</li> </ul> </li> <li>Terrace level <ul style="list-style-type: none"> <li>Discharge of pump</li> <li>Head of the pump</li> <li>Power Supply</li> <li>Auto Starting of pump</li> </ul> </li> </ul>	NA	NA	NA
		NA	NA	NA
		NA	NA	NA
		NA	NA	NA
		NA	NA	NA
		NA	NA	NA
		NA	NA	NA
		NA	NA	NA
		NA	NA	NA
		NA	NA	NA
		NA	450lpm	NA
		NA	40m	NA
		NA	Provided	NA
		NA	NA	NA
14	<b>Captive Water Storage for fire fighting.</b>			
	<ul style="list-style-type: none"> <li>Underground tank capacity</li> <li>Draw-off connection</li> <li>Fire service inlet</li> <li>Access to tank</li> <li>Overhead Tank capacity</li> </ul>	NA	NA	NA
		NA	NA	NA
		NA	NA	NA
		NA	NA	NA
		NA	5000 ltr Provided	NA
15	<b>Exit Signage.</b>	NA	Provided	NA



N-76

Provision of Lifts.				
16	• Pressurization of Lift Shaft	NA	NA	NA
	• Pressurization of Lift lobby	NA	NA	NA
	• Communication In lift Car	NA	NA	NA
	• Fireman's Grounding Switch	NA	NA	NA
	• Lift Signage	NA	NA	NA
17	Standby power supply			
18	Refuge Area.			
	➤ Total Area	NA	NA	NA
	➤ Location	NA	NA	NA
19	Fire Control Room			
	• Detector System Panel	NA	NA	NA
	• Flow Switch Panel	NA	NA	NA
	• PA System Panel	NA	NA	NA
	• Batter backup	NA	NA	NA
	• Building Floor Plans	NA	NA	NA
20	Special Fire Protection Systems for Protection of special Risks, if any:			

\* The said school is comprised of total 04 Blocks (Ground + 1 Upper Floor), BL -1 Serving 2 staircases & BL-2, BL- 3, BL-4 serving 1 staircase.  
 The fire protection systems provided in the building were test checked and found functional at the time of inspection.  
 In view of the deemed compliance of minimum standards on fire prevention and fire safety as required under the rules DOE Circular no. 3298-3398 dated 01/03/2011, the NOC issued vide letter no. F6/DFS/MS/SCHOOL/2019/2012 dated: - 21/10/2019 renewal under 35 of the Delhi Fire Service Rules 2010 is recommended.

ADO (west)  
or team

[Signature]  
 29/11/2022  
 Signature of the Inspecting Officer  
 Name: Sarabjeet Singh  
 Designation: ADO (MN)

366/ADO/MN  
29/11/22

[Signature]  
 2/11/2023

ADO / M.N

Sir, F. T is put up for your kind personal & signature pls.

[Signature]  
 03/01/2023

[Signature]  
 5/1/2023

MST cell