GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI-110001

No. F6/DFS/MS/School/WZ/2023/

Dated: 01/03/2023

FIRE SAFETY CERTIFICATE

Issued on O/O3/2023 at New Delhi by

(Dhrampal Bhardwaj) Chief Fire Officer Tel;-01123414250

ofe

Copy to:

1. The Director of Education, GNCT of Delhi Old Secretariat, Delhi-110054.

2. The Principal, R.L. Public School, at 28/A, Karan Vihar, Part- V, Kirari Exten, Nangloi, Delhi-

Conditions for validity of Fire Safety Certificate;

- 1. All the fire safety arrangement provided there-in shall be maintained in good working conditions at all times.
- 2. Loss of life or property due to non functional fire safety measure shall be at the responsibility of the management.
- 3. The trained fire fighting staff should be available round the clock.
- 4. Any deviation with regard to the construction etc shall be verified by the concerned building sanctioning agency.
- 5. This certificate cannot be treated in any case for regularizations of unauthorized construction.
- 6. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director of Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry".
- 7. The owner / occupier shall submit a declaration every year in form "K" provided in the first schedule of Delhi Fire Service Rules 2010. The form "K" is available on http://www.delhi.gov.in/wps/wcm/connect/doit_fire/FIRE/Home/Forms

| | N/21 | | | | | | |
|------------------------------|---|---|--|---|--|--|--|
| • | INSDEA | TINY . | | | | | |
| Name | & address of the building . D | TION REPORT | | | | | |
| R. L. Public School, at 28/A | | | | | | | |
| | of Occupancy Exten, Delhi-110086. | | | | | | |
| | of Case | ucational | -0 | | | | |
| . Detail: | | | | | | | |
| . Fire \$ | afety directives letter No | /DFS/MS/School/V | WZ/2020/57 Dated 12 | 00.000 | | | |
| . Date o | of inspection : Dir | ector of Education | Cir. 17.01 2005 | .02.2020 | | | |
| Name | of the Inspecting Occ | 2.2023 | | | | | |
| . I valife | ally designation of occ | .Sharma ADO (Ro | hini) | | | | |
| HOIL | he building side | | | | | | |
| Year of | Construction · Mrs | s. Dayawati (Princi | pal) | | | | |
| . Applic | ant's letter No | 1 | | | | | |
| Minin | num Standards on fire present | line e-mail date 15 | .02.2023 | | | | |
| | | Dir. of Edu. | Provided at site | Remarks | | | |
| | to building | Requirement | | MR/NMR | | | |
| | | Accessible | | | | | |
| • | | | | M/R | | | |
| • | Width of internal road | 27/4 | | M/R | | | |
| Numb | er, Width, Type & Arrangement | of Evita | N/A | N/A | | | |
| a. Nun | oer of staircases | DI EXIIS | | | | | |
| • | Upper Floors | 02 | 02 | | | | |
| • | Basements | | | MR | | | |
| b. Wid | th of staircases | IVA | IN/A | N/A | | | |
| • | Upper Floors | 1 50 mtr | 1.0 % 1.20 |) (D. (O11 | | | |
| • | Basements | 100, | | MR (Old case) | | | |
| c. Prot | ection of exits | IN/A | N/A | N/A | | | |
| • | Fire check door | NI/A | 271 | | | | |
| • | Pressurization | | | N/A | | | |
| e. No. | of continuous staircases to terrace | | | N/A | | | |
| g. Wid | th of Corridor | | | MR | | | |
| h. Doo | or Size | | | MR MR | | | |
| Comp | artmentation. | | 1.0 mu | MR | | | |
| • | Fire check door | N/A | NI/A | 221 | | | |
| | | | | N/A | | | |
| | 1 | | | N/A | | | |
| | _ | | | N/A | | | |
| | | | | N/A | | | |
| Smok | • | 11/21 | IV/A | N/A | | | |
| • | | N/Δ | NI/A | 37// | | | |
| | | IWA | | N/A | | | |
| | | | IN/A | N/A | | | |
| | | 104 | | | | | |
| • | | | | MR | | | |
| • | | | | MR | | | |
| • | | 1SI marked | Yes | MR | | | |
| First- | Aid Hose Reels. | | | | | | |
| _ | Total numbers on each floor | 01 | Provided | MR | | | |
| | Length of hose reel hose | 30 m | Provided | | | | |
| _ | Penani of hose leet hose | | Fiovided | MR | | | |
| • | _ | 5 mm | Provided | MD | | | |
| • | Nozzle diameter | 5 mm | Provided | MR | | | |
| • | _ | | Provided N/A | MR N/A | | | |
| | Numb a. Num b. Wic c. Prot e. No. g. Wich. Doc Smok | Type of Occupancy : Ed Type of Case : Ref Details of previous NOC : F.6. Fire Safety directives letter No : Dir Date of inspection : 17.0 Name of the Inspecting Officers : A.K Name and designation of officers from the building side : Mrs. Year of Construction : 200 Applicant's letter No : On Minimum Standards on fire prevention and fire safety U/R 33 Access to building Road width Gate width Width of internal road Number, Width, Type & Arrangement of staircases Upper Floors Basements b. Width of staircases Upper Floors Basements c. Protection of exits Fire check door Pressurization e. No. of continuous staircases to terrace g. Width of Corridor h. Door Size Compartmentation. Fire check door Sealing of electrical shafts Fire Rating of shaft door Water Curtain Fire Dampers Smoke Management System. Basements Upper floors Fire Extinguishers Total numbers Types IS marking First-Aid Hose Reels. | Type of Occupancy Type of Case Details of previous NOC Fire Safety directives letter No Date of inspection Name of the Inspecting Officers Name and designation of officers Type of Construction Type of Construction Type of Case Type of Occupancy Type of Case Type of Cost of Case Type of | Name & address of the building INSPECTION REPORT F. Type of Occupancy Type of Case Educational Exten, Delhi-110086. Exten, Delhi-11008. Exten, Delhi-11009. Extending in Extending | | | |



| | Location of Main Panel | N/A | N/A | N/A |
|--------------------------|---|--|--|---|
| | Location of Repeater Panel | N/A | N/A | N/A |
| | Alternate source of power | N/A | N/A | N/A |
| | Hooters' Location | N/A | N/A | N/A |
| 8 | MOEFA | N/A | N/A | N/A |
| 9 | Public Address System. | N/A | N/A | N/A |
| 10 | Automatic Sprinkler System. | | | |
| 10 | Basement | N/A | N/A | N/A |
| | Upper Floor | N/A | N/A | N/A |
| | Sprinkler above false ceiling | N/A | N/A | N/A |
| 11 | Internal Hydrants | | | IN/A |
| 1 1 | Size of riser/down-comer | N/A | N/A | NI/A |
| | Number of hydrants per floor | N/A | N/A | N/A |
| | Hose Box | N/A | N/A | N/A |
| 12 | Yard Hydrants. | | 14/14 | N/A |
| - | Total number of hydrants | N/A | NI/A | - |
| | Hose Box | N/A | N/A | N/A |
| 13 | Pumping Arrangements. | IN/A | N/A | N/A |
| 13 | | | | |
| | Ground LevelDischarge of main Pump | 27/4 | | |
| | Head of Main pump | N/A | N/A | N/A |
| | Number of main pumps | N/A | N/A | N/A |
| | Jockey Pump out put | N/A | N/A | N/A |
| | Jockey pump head | N/A | N/A | N/A |
| | Standby Pump out put | N/A | N/A | N/A |
| | Standby Pump Head | N/A | | |
| | > Auto Starting/ Manual stopping | N/A N/A | N/A | N/A |
| | > Pump House Access | | N/A | N/A |
| | Terrace level | N/A | N/A | N/A |
| | Discharge of pump | 220 7 72 6 | | |
| | > Head of the pump | 220 LPM | Provided | MR |
| | > Power Supply | 40 m | Provided | MR |
| | ➤ Auto Starting of pump Power Supply | Required | Provided | N/A |
| 14 | Captive Water Storage for fire fighting. | Required | Provided | N/A |
| | | 27/4 | | |
| | Underground tank capacityDraw-off connection | N/A | N/A | N/A |
| | Diaw-oil connection | N/A | N/A | N/A |
| | Fire service inlot | 3.7/4 | | N/A |
| | Fire service inlet Access to tank | N/A | N/A | IN/A |
| | > Access to tank | N/A | N/A | N/A |
| 15 | Access to tankOverhead Tank capacity | N/A 2500 ltr | N/A 2500 ltr | N/A MR |
| | Access to tank Overhead Tank capacity Exit Signage. | N/A | N/A | N/A |
| | Access to tank Overhead Tank capacity Exit Signage. Provision of Lifts. | N/A 2500 ltr Required | N/A 2500 ltr Provided | N/A MR MR |
| | Access to tank Overhead Tank capacity Exit Signage. Provision of Lifts. Pressurization of Lift Shaft | N/A 2500 ltr Required N/A | N/A 2500 ltr Provided N/A | N/A MR MR N/A |
| | Access to tank Overhead Tank capacity Exit Signage. Provision of Lifts. Pressurization of Lift Shaft Pressurization of Lift lobby | N/A 2500 ltr Required N/A N/A | N/A 2500 ltr Provided N/A N/A | N/A MR MR |
| | ➤ Access to tank Overhead Tank capacity Exit Signage. Provision of Lifts. Pressurization of Lift Shaft Pressurization of Lift lobby Communication In lift Car | N/A 2500 ltr Required N/A N/A N/A | N/A 2500 ltr Provided N/A N/A N/A | N/A MR MR N/A |
| | Access to tank Overhead Tank capacity Exit Signage. Provision of Lifts. Pressurization of Lift Shaft Pressurization of Lift lobby Communication In lift Car Fireman's Grounding Switch | N/A 2500 ltr Required N/A N/A N/A N/A N/A | N/A 2500 ltr Provided N/A N/A N/A N/A N/A | N/A MR MR N/A N/A N/A N/A |
| 16 | Access to tank Overhead Tank capacity Exit Signage. Provision of Lifts. Pressurization of Lift Shaft Pressurization of Lift lobby Communication In lift Car Fireman's Grounding Switch Lift Signage | N/A 2500 ltr Required N/A N/A N/A N/A N/A N/A | N/A 2500 ltr Provided N/A N/A N/A N/A N/A N/A | N/A MR MR N/A N/A N/A |
| 17 | ➤ Access to tank • Overhead Tank capacity Exit Signage. Provision of Lifts. • Pressurization of Lift Shaft • Pressurization of Lift lobby • Communication In lift Car • Fireman's Grounding Switch • Lift Signage Standby power supply | N/A 2500 ltr Required N/A N/A N/A N/A N/A | N/A 2500 ltr Provided N/A N/A N/A N/A N/A | N/A MR MR N/A N/A N/A N/A |
| 16 | ➤ Access to tank • Overhead Tank capacity Exit Signage. Provision of Lifts. • Pressurization of Lift Shaft • Pressurization of Lift lobby • Communication In lift Car • Fireman's Grounding Switch • Lift Signage Standby power supply Refuge Area. | N/A 2500 ltr Required N/A N/A N/A N/A N/A N/A N/A N/A | N/A 2500 ltr Provided N/A N/A N/A N/A N/A N/A N/A N/A | N/A MR MR N/A N/A N/A N/A N/A N/A N/A N/A |
| 115 116 117 118 | ➤ Access to tank • Overhead Tank capacity Exit Signage. Provision of Lifts. • Pressurization of Lift Shaft • Pressurization of Lift lobby • Communication In lift Car • Fireman's Grounding Switch • Lift Signage Standby power supply | N/A 2500 ltr Required N/A N/A N/A N/A N/A N/A | N/A 2500 ltr Provided N/A N/A N/A N/A N/A N/A | N/A MR MR N/A N/A N/A N/A N/A N/A |

| #- | | | | |
|-----|------------------------------------|----------|----------------------|-------------------|
| N/A | Detector System Panel | N/A | N/A | N/A |
| N/ | Flow Switch Panel | N/A | N/A | N/A |
| N' | PA System Panel | N/A | N/A | N/A |
| + | Batter backup | N/A | N/A | N/A |
| | Building Floor Plans | N/A | N/A | N/A |
| | ecial Fire Protection Systems for | N/A | N/A | N/A |
| | otection of special Risks, if any: | | | |
| | 7 | 1 1 '11' | took absolved and fo | and functional at |

The fire protection systems provided in the building were test checked and found functional at the time of inspection.

Keeping in view of the deemed compliance of the minimum standards of the fire prevention and fire safety measures required stipulated in **Director of Education Circular**, the FSC issued vide letter no.F.6/DFS/MS/School/WZ/2020/57 Dated 12.02.2020 is recommended for renewal under rule 37 of the Delhi Fire Service rules 2010.

Signature of the Inspecting Officer
Name Ajay Kumar Sharma
Designation ADO(Rohini)

23/02/23 23/02/23 20 (D. P. Pahardword) 84/7/11/2

FT letter is fort up for kind fewered and Signature Bease.

(hy 28/9/23

My my