

## OVERNMENT OF NATIONAL CAPITAL TERRITOTY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE NEW DELHI- 110001

F.6/DFS/MS/CNG/2024/SZ/ /37 No.

Dated: .05./.0.3./2024

## FIRE SAFETY CERTIFICATE

Certified that the CNG Filling Station located at Nelson Mandela Marg, New Delhi comprised of ground floor only owned/occupied by M/s Indraprastha Gas Limited, was granted FSC by this department vide letter no. F6/MS/DFS/CNG/2021/SZ/241 Dated 28/04/2021. The premise was re-inspected by the officer concerned of this department on 29.02.2024 in the presence of Mr. Raj Kumar Dutta (Manager) of the said filling station and found that the said premises have deemed complied with the fire prevention and fire safety requirements in accordance with Rule 33 of the Delhi Fire Service Rules, 2010 and that the premises is fit for occupancy class Storage (CNG Pump) as above with effect from 05/03/2024 2024 for a period of three years in accordance with rule 36 unless renewed under Rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under Rule 38 of the Delhi Fire Service Rules 2010.

Issued on <u>05/03</u>/2024 at New Delhi by

DELHI FIRE SERVICE

## Copy to: -

1. The Joint C.P (Lic.) First Floor, PS Defence Colony, New Delhi 110049.

2. Sh. Ajay Khatri, DGM-(Fire & Safety) (IGL) LGL Bhawan, Plot No 4, Community Centre, R. K Puram, Sector- 09, New Delhi 110049

## Conditions for the validity of Fire Safety Certificate: -

1. All the means of escape/entry/exit shall be kept free from any obstruction.

2. All the fire safety arrangement provided therein shall be maintained in good working condition at all time as seen during inspection. Any loss of life property due to nonfunctional fire safety measures shall be at the responsibility of the management.

3. All the staff members must know the correct method of operation of fire fighting system. 4. The owner/occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on

5. This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or Alteration (Clause 1.4.3 of UBBL- 2016), if

6. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in form 'J' [sub rule (I) of rule 37] along with a copy of this Certificate, six month prior



		ION REPORT	let in terral erit mega	052 T	
.1	Name & Address of the Building	CNG Station at Nelson Mandela Marg, New Delhi (Indraprastha Gas Ltd, Retail outlet)			
2	Type of Occupancy	Hazardous "Group –J (CNG Pump)			
3	Building Comprised of	Ground floor only			
4	Type of Case	Renewal			
5	Details of Previous NOC	F6/MS/DFS/CNG/2021/SZ/241 Dated 28/04/2021			
6	Fire Safety Directives Letter No	Nil			
7	Date of Inspection	29-02-2024			
8	Name of the Inspecting Officers	Mr. Rajesh Kumar (ADO BCP)			
9	Name & Designation of Officers from the building side	Mr. Raj Kumar Dutta (Manager)			
10	Year of construction	2002 Almes II karanji .11			
11	Applicant letter No.	IGI/F&S/2024/15/66/1 dated 12/02/2024			
S. No	Minimum standards on Fire Prevention and Fire Safety U/R 33	Old NOC Provided at Site Remark Requirement MR/NM			
	Access to Building.  Road width	00	I n :1.1 I	100	
	Road width     Gate width	09 mtr -NA-	Provided -NA-	MR -NA-	
	Width of internal road	-NA-	-NA-	-NA-	
2	Number, width, type and arrangements				
	a. Number of Staircase	Control Control Control			
	Upper floors	-NA-	NA-WA	-NA-	
	Basement floor	-NA-	-NA-	-NA-	
	b. Width of Staircase		quirquint in haif	-11/1-	
	Upper floors	-NA-	-NA-	-NA-	
	Basement floor	-NA-	-NA-	-NA-	
	c. Protection of exits		September 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	Fire check door	-NA-	-NA-	-NA-	
	Pressurization	-NA-	-NA-	-NA-	
	d. No. of continuous staircase to terrace	Required	Provided 0.70 m	MR	
	e. Width of corridor	-NA-	1 49536 1285 1971		
	f. Door size	570%	-NA-	-NA-	
3	The state of the s	-NA-	al tal 12-NA- 13160 3	-NA-	
3	Compartmentation.		aya sini tara gabas		
	Fire check door.	-NA-	-NA-	-NA-	
	Sealing of electrical shafts.	-NA-	-NA-	-NA-	
	Fire rating of shaft door.	-NA-	-NA-	-NA-	
-	Water curtain	-NA-	-NA-	-NA-	
	Fire dampers.	-NA-	-NA-	-NA-	
1.	Smoke Management system.		introChifu.	issafi	
	Basement	-NA-	-NA-	-NA-	
	Upper floors  Fire Extinguishers.	-NA-	-NA-	-NA-	
		Donnier 1	20.11		
	Total numbers	Required	30 Nos DCP/75 kg- 4, DCP/10kg	MR	
40	Types     ISI Marking	ISI Marked	- 20 & CO <sub>2</sub> - 06	MR	
	Link it largiti		Provided	MR	
6.	First Aid Hose Reels.		1002.0		
	Total numbers on each floor.	-NA-	-NA-	-NA-	
-/3	Length of hose-reel hose.	-NA-	NA-	-NA-	
	Nozzle Diameter	-NA-	\ -NA-	-NA-	

आज़ार्द	का
अमृह	महाद्

	Automatic Fire Detection and Alarming s			-
	Type of detectors	Gas & Flame	Provided in compressors	MR
	Location of Main Panel	-NA-	-NA-	-NA-
	Location of Repeater Panel	-NA-	-NA-	-NA-
	Alternate source of power	-NA-	-NA-	-NA-
8.	Hooter's location	-NA-	-NA-	-NA-
	MOEFA	-NA-	-NA-	-NA-
9.	Public Address System	-NA-	-NA-	-NA-
10.	Automatic Sprinkler System	2/54	Courts I professional attached	
	Basement	-NA-	-NA-	-NA-
	• Upper floors	-NA-	-NA-	-NA-
	Sprinkler above false ceiling	-NA-	-NA-	-NA-
11.	Internal Hydrants.	01	TI-NA- IIII all	-1177
-	Size of Riser / Down-comer	-NA-	NA NA	-NA-
	Number of Hydrant per floor	-NA-	-NA-	-NA-
	Hose box.	(1)	Table State	
12.	Yard Hydrants.	-NA-	-NA-	-NA-
			Alah samaja da	
	Total number of hydrants.	-NA-	-NA-	-NA-
12	Hose box.	-NA-	-NA-	-NA-
13.	Pumping arrangements.	7	Section of Contraste	-
	Ground Level		Example 1	
	Discharge of main pump.	-NA-	-NA-	-NA-
	Head of main pump.	-NA-	-NA-	-NA-
	Number of main pumps.	-NA-	-NA-	-NA-
	> Jockey Pump output.	-NA-	-NA-	-NA-
	> Jockey Pump head.	-NA-	-NA-	-NA-
	Standby Pump output.	-NA-	-NA-	-NA-
	➤ Standby Pump head. ➤ Auto Starting/Manual Stopping.	-NA-	-NA-	-NA-
	- Committee of the comm	-NA-	-NA-	-NA-
	Terrace Level		(foliate forest) w	
	Discharge of pump.	-NA-	-NA-	-NA-
	Head of pump.	-NA-	-NA-	-NA-
	<ul> <li>➢ Power supply.</li> <li>➢ Auto starting of pump</li> </ul>	-NA-	-NA-	-NA-
14.	Auto starting of pump.  Captive water storage for fire-fighting.	-NA-	-NA-	-NA-
			ogni singit,	
	Underground tank capacity.	-NA-	-NA-	-NA-
	Draw-off connection.	-NA-	-NA-	-NA-
	Fire Service Inlet.	-NA-	-NA-	-NA-
	Access to tank.	-NA-	-NA-	-NA-
5.	Overhead tank capacity.  No Smoking circumstance.	-NA-	-NA-	-NA-
	No Smoking signage	Required	Provided in Hindi & English	MR
6.	Provision of Lifts.		West Control of the	
	Pressurization of lift shaft.	-NA-	-NA-	-NA-
	<ul> <li>Pressurization of lift lobby.</li> </ul>	-NA-	-NA-	-NA-
	Communication in lift car.	-NA-	-NA-	-NA-
	Fireman's switch.	-NA-	-NA-	-NA-
	Lift signage.	-NA-	-NA-	-NA-
7	Standby Power Supply	` NA	Provided (DG Set)	NA
3.	Refuge Area		should be a	17
100	Total area	374	daza no se como loto. La	
	• Location	-NA-	+ In-many -NA-	-NA
	- LOCGUOII //\	-NA-	-NA-	



19.	Fire Control Room.  • Detector System Panel.	-NA-	-NA-	-NA-
	<ul> <li>Flow Switch Panel.</li> <li>PA system Panel.</li> <li>Battery backup</li> <li>Building floor plan</li> </ul>	-NA-	-NA-	-NA-
		-NA-	-NA-	-NA-
		-NA-	-NA-	-NA-
		-NA-	-NA-	-NA-
20.	Special Fire Protection System for the Protection of special Risk, if any.	NA	Co2 flooding system connected through detectors provided in each compressor unit	MR

"No Smoking" Sign boards were found displayed both in Hindi & English at conspicuous places. No loose electric wiring was seen in the premises.

The fire protection systems provided in the building were test checked at random and found functional at the time of inspection. In view of the deemed compliance of the minimum standards on fire prevention and fire safety measures as required under rules, renewal of the FSC issued vide letter No. F6/MS/DFS/CNG/2021/SZ/241 Dated 28/04/2021, under rules 37 of the Delhi Fire Service Rules 2010 is recommended.

Accordingly, DFA is put up for perusal and signature please.

Signature of the Inspecting Officer

Name: Mr. Rajesh Kumar Designation: ADO (BCP)

DO (SD)

Mull 29/474

Deneta /

approved

signature Pl

i k

43hory