C23



GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEAD QUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE NEW DELHI-110001

No.F.6 DFS/MS/School/2024/SZ/ 335

Dated: 19/04/2024

FIRE SAFETY CERTIFICATE

Certified that the MCD Co-ed Primary School, located at Garhi Jharia Maria, New Delhi 110065 comprised of ground plus One upper floor owned/occupied by Municipal corporation of Delhi was issued Fire Safety Certificate by this department vide letter No. F6/DFS/MS/School/2021/SZ/218 Dt. 12/03/2021. The said premises was reinspected by officer concerned of this department on 05/04/2024 in presence of Mr. Kamal Kukreja (Incharge) of the school and found that the said school building have deemed complied with the fire prevention and fire safety requirements in accordance with Directorate of Education Circular No F.16//Estate/CC/Fire Safety/2011/3298 to 3398 dated 01/03/2011 issued by Director of Education, Govt. of NCT of Delhi and that the building is fit for occupancy class "Educational Building Group - B" with effect from \(\to \frac{10}{2} \) \(\frac{1}{2} \) \(

Issued on 19/04 2024 at New Delhi by

(ATUL GARG)
DIRECTOR
FIRE SERVICE

DELHI FIRE SERVICE

Copy to: -

1. The Principal, MCD Co-ed Primary School, at Garhi Jharia Maria, New Delhi-65

2. The Directorate of Education, MCD, Civic Centre, Minto Road, New Delhi-110002

Conditions for the validity of Fire Safety Certificate:-

1. All the means of escape/entry/exit shall be kept free from any obstruction.

 All the fire safety arrangements provided therein shall be maintained in good working condition at all time as seen during inspection. Any loss of life or property due to nonfunctional fire safety measures shall be at the responsibility of the management.

3. This certificate cannot be treated as regularization of unauthorized construction, if any.

4. The owner/ occupier shall submit a declaration every year in Form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in

 This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or Alteration (Clause 1.4.3 of UBBL-2016), if

any.
6. "The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry."



1	Name & Address of the Building	ION REPORT		
2	andiig .	MCD Co-ed Primary School at Co. 11 77		
3	Type of Occupancy	Delhi 110065		
4	Building Comprised of	Educational, Group-B (School)		
5	Type of Case	Ground plus one upper floor		
6	Details of Previous NOC	Kenewal		
7	Fire Safety Directives Letter No	F 16//Francisco	ool/2021/SZ/218 Dt. 12/0	3/2021
8	Date of Inspection	Con Located CC/Fire	Safety/2011/3298 to 3398 date	d 01.03.2011
9	Name of the Inspecting Officers	00 01 2024		
9	Name & Designation of Officers	Sh. Rajesh Kumar ADO (BCP) Mr. Kamal Kukreja (Incharge)		
10	from the building side	Wii. Kamai Kukre	eja (Incharge)	
11	Year of construction	2006	141	- 14
	Applicant letter No.	Outdoor diary no 13801 Dated 04/03/2024		
S. No	Minimum standards on Fire Prevention and Fire Safety U/R 33	As per old NOC	Provided at Site	Remarks MR/NMF
1	Access to Building.	Requirement		Ald rift
	Road width	06	A APPLICATION OF THE PARTY OF T	
	Gate width	06 mtr	06 mtr	MR
	Width of internal road	-NA-	3.5 mtr	-NA
2	Number, width, type & arrangement of exits.	-NA-	-NA-	-NA-
	a) Number of Staircase	- April April 1911	Em to Spirozoci C	
×.	> Upper floors.	N	od manthy south	
vi-	Basement floor.	Required	03 Nos	MR
4-	b) Width of Staircase	-NA-	-NA-	-NA-
V.	> Upper floors	1.6 10.55	and the second	
M S	Basement floor	1.5 m/0.75 m	1.85 m, 1.86 m &1.51 m	MR
.4- .K-	The second secon	was -NA-	-NA-	-NA-
	c) Protection of exits Fire check door	391	F Promote and Section	
		-NA-	-NA-	-NA-
Xe I	> Pressurization	-NA-	-NA-	-NA-
4-	d) No. of continuous staircase to terrace	Required	Two	MR
1	e) Width of corridor	NA	1.5 mtr	NA
/	f) Door size	1 mtr garage	In univer 1 mtr/ -	MR
3	Compartmentation.	or fire fighting.	Captive water storings	Jel
-	Fire check door.	-NA-	-NA-	-NA-
-	Sealing of electrical shafts.	-NA-	-NA-	-NA-
	Fire rating of shaft door.	-NA-	-NA-	-NA-
- 1	Water curtain	-NA-	-NA-	-NA-
	Fire dampers.	-NA-	-NA-	-NA-
4.	Smoke Management system.		Provision of Life	λi
-	Basement	-NA-	-NA-	-NA-
	Upper floors	-NA-	-NA-	-NA-
5.	Fire Extinguishers.	The Hall of		
٥.	Total numbers	Required	04 Nos	MR
	All Control December Control C	ABC	ABC & Co2 Type	MR
	TypesISI Marking	ISI mark	Provided	MR
6.	First Aid Hose Reels.		Torrest bearing	N/A
	Total numbers on each floor.	-NA-	-NA-	-NA-
	Length of hose-reel hose.	-NA-	-NA-	-NA-
	Nozzle Diameter	-NA-	-NA-	-NA-



	١,	•	_
ام	1	١	
ľ	1	٠.	

			NIA	NIA
- 1	Type of detectors	-NA-	-NA-	-NA-
10.0	Location of Main Panel	-NA-	-NA-	-NA-
	Location of Repeater Panel	-NA-	-NA-	-NA-
	Alternate source of power	-NA-	-NA-	-NA-
_	Hooter's location	-NA-	-NA-	-NA-
	MOEFA	-NA-	-NA-	-NA-
9.	Public Address System	-NA-	-NA-	-NA-
10.	Automatic Sprinkler System	NIA	-NA-	-NA-
	Basement	-NA-	-NA-	-NA-
- 1	Upper floors		-NA-	-NA-
11.	Sprinkler above false ceiling	-NA-	-INA-	-14/4-
11.	Internal Hydrants. Size of Riser/Down-comer	-NA-	-NA-	-NA-
		-NA-	-NA-	-NA-
arried .	Number of Hydrant per floor Hose box.	-NA-	-NA-	-NA-
12.	Yard Hydrants.	-NA-	C - SIVAS	-NA-
12.	Total number of hydrants.	NA I	-NA-	-NA-
	Hose box.	-NA-	-NA-	-NA-
13.	Pumping arrangements.	-NA-	-iva-	-INA-
10.	Ground Level		-0.17 EUR 8	
	Discharge of main pump.	TA	NA	DTA
	Head of main pump.	-NA-	-NA-	-NA-
	> Number of main pumps.			-NA-
×.	> Jockey Pump output.	-NA-	-NA-	-NA-
•	> Jockey Pump head.	-NA-	-NA-	-NA-
	Standby Pump output.	-NA-		-NA-
	Standby Pump head.	-NA-	-NA-	-NA-
	Auto Starting / Manual Stopping.	-NA-	-NA-	-NA-
	Pump house access.	-NA-	-NA-	-NA-
	Terrace Level	TIME	TIVA	-NA-
_ [Discharge of pump.	-NA-	-NA-	-NA-
-	➤ Head of pump.	-NA-	-NA-	-NA-
	➢ Power supply.	-NA-	-NA-	-NA-
	➤ Auto starting of pump.	-NA-	-NA-	-NA-
14.	Captive water storage for fire fighting.		Authornopinguno	-1424
	 Underground tank capacity. 	-NA-	-NA-	-NA-
- i	Draw-off connection.	-NA-	-NA-	-NA-
	Fire Service Inlet.	-NA-meta-	-NA-	-NA-
[Access to tank.	-NA-	-NA-	-NA
	 Overhead tank capacity. 	-NA-	-NA-	-NA
15.	Exit Signage.	-NA-	-NA-	-NA
16.	Provision of Lifts.	kuana	g terminan in U auto	-147
/	 Pressurization of lift shaft. 	-NA-	-NA-	-NA
- 1	 Pressurization of lift lobby. 	-NA-	-NA-	-NA
	Communication in lift car.	-NA-	-NA-	-NA
<i>y</i>	Fireman's switch.	-NA-	-NA-	-NA
4	Lift signage.	-NA-	-NA-	
17.	Standby Power Supply	- PODINATION		-NA
18.	Refuge Area	-NA-	-NA-	-NA
	Total area	NIA I	The Works of the	
-S- 1		-NA-	-NA-	-NA
-	• Location	-NA-	-NA-	-NA
19.	Fire Control Room.	tie un inc	E-control - Factor - 4	
	Detector system panel.	-NA-	COGN FINA	-
	100	2 5-42	-NA-	-NA

5

V



	Flow switch panel. PA system panel.	-NA-	-NA-	-NA-
	Battery backup.	-NA-	-NA-	-NA-
	Building floor plan.	-NA-	-NA-	-NA-
		-NA-	-NA-	-NA-
20.	Special Fire Protection System for the Protection of special Risk, if any.	-NA-	-NA-	-NA-

The fire protection system provided in the building were randomly checked and found functional at the time of inspection.

Keeping in view of the deemed compliance of the minimum standard on fire prevention and fire safety measures as required under the rules, the FSC issued vide letter no F6/DFS/MS/School/2021/SZ/218 Dt. 12/03/2021, renewal under rule 37 of the Delhi Fire Service rules, 2010 is recommended.

Accordingly, DFA is put up for approval and signature please.

Signature of the Inspecting Officer Name: Sh. Rajesh Kumar

Design: ADO (BCP)

DO (South)

mus 2/4

16 his say

Directory

As approved

F=1. telle i

portu

Lone

eignature P

عا

19/4/2029

Director My