## GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DE HEADQUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE NEW DELHI-110 001.

No.F.6/DFS/MS/School/2024/SZ/ 393

Dated: 03/05/2024

## FIRE SAFETY CERTIFICATE

Certified that the M.C Primary School, Guru Nanakpura, Fateh Nagar, New Delhi -110018, is comprised of ground floor plus one upper floor. The school is owned/occupied by M.C.D Govt. of NCT of Delhi, was issued Fire Safety Certificate by this department vide letter No F.6/DFS/MS/School/2021/SZ/284 dated 01.04.2021. The School building was re-inspected by the officer concerned of this department on 22/03/2021 in the presence of Ms. Meenu Yadav (Incharge) and found that the building have deemed complied with the fire prevention and fire safety requirements in accordance with the Circular No. F.16/Estate/CC/Fire Safety/2011/3298 to 3398 dated 01.03.2011 issued by the Director of Education and that the school building/ premises is fit for occupancy class "Educational" w.e.f. the date of issue of this certificate for a period of three years, subject to compliance of the conditions printed as under.

at New Delhi. Issued on

Delhi Fire Service

Copy to:-

1. The Principal, M.C Primary School, Guru Nanakpura, Fateh Nagar, New Delhi

2. Director of Education, Govt. of NCT of Delhi, Old Secretariat, New Delhi-110054

## Following fire safety directives must be adhered to:-

- 1. All the fire safety arrangements provided therein shall be maintained in good working condition at all times.
- 2. The means of escape shall be kept unlocked and unobstructed for unhindered evacuation of occupants in case of emergency.
- 3. Any loss of life or property due to non-functional fire safety measures shall be at the risk and responsibility of the management.
- 4. The trained staff should be available round the clock.
- 5. Any deviations w.r.t. construction shall be verified by the concerned building sanctioning
- 6. The certificate may not be treated in any case for the regularization of the unauthorized construction, if any.
- 7. The owner/occupier shall submit a declaration every year in the form 'K' provided in the first schedule of Delhi Fire Service Rules 2010, form is available on www.dfs.delhigovt.nic.in.
- 8. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in the Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry.

## INSPECTION REPORT

1. Name & address of the building: M.C Primary School, Guru Nanakpura, Fateh Nagar, New Delhi -18

2. Building Comprised of : Ground plus one upper floors only

3. Type of Occupancy : Educational
4. Type of Case : Renewal

5. Details of Previous NOC : F.6/DFS/MS/School/2021/SZ/284 dated 01.04.2021

6. Fire Safety directives letter No : F.16/Estate/CC/Fire safety/2011/3298 to 3398 dated01.03.2011

7. Date of inspection : 23.04.2024

8. Name of Inspecting Officer : A.D.O. R.K. Yadav

9. Name and designation of officers

From the building side : Ms. Meenu Yadav (Incharge)

10. Year of Construction : 2014

11 Applicant's letter No. : Letter No. Nil dated 16.03.2024

No.	Minimum Standards on fire prevention and fire safety U/R 33	Requirement	Provided at site	Remarks MR/NMR			
	Access to building						
	<ul> <li>Road width</li> <li>Gate width</li> <li>Width of internal road</li> </ul>	Accessible 4.5 m N/A	08 mtrs Directly accessible from roadN/A	M/R M/R N/A			
	Number, Width, Type & Arrangement of Exits						
	a. Number of staircases			) //D			
	Upper Floors	02 No's	02 No's	M/R			
	<ul> <li>Basements</li> </ul>	N/A	N/A	N/A			
	b. Width of staircases						
	Upper Floor	1.50 m	1.50 m each	M/R			
	Basements	N/A	N/A	N/A			
	c. Protection of exits						
	Fire check door     Pressurization	N/A	N/A	N/A			
	• Pressurization	N/A	N/A	N/A			
	d. No. of continuous staircases to	IN/A	. 1/4 8	Tenatile.			
	terrace	N/A	N/A	N/A			
	e. Width of Corridor		1.96 m	M/R			
		1.50 m		C-C-FIREDOC			
	f. Door Size	1.0 m	1.20 m (Double Door)	M/R			
3.	Compartmentation						
	Fire check door	N/A	N/A	N/A			
	Sealing of electrical shafts	N/A	N/A	N/A			
	Fire Rating of shaft door	N/A	N/A	N/A			
	Water Curtain		N/A	N/A			
	Fire Dampers	N/A N/A	N/A	N/A			
	S. I. W	IVA		a seve			
4.	Smoke Management System			· · · · · · · · · · · · · · · · · · ·			
	Basements	N/A	N/A	N/A			
	Upper floors	Required	Natural Ventilation	M/R			
5.	Fire Extinguishers						
	Total numbers	06 no's	Provided	M/R			
	Types	ABC/CO₂ type	Provided	M/R			
	IS marking	ISI marked	ISI marked	M/R			
6.	First-Aid Hose Reels						
	Total numbers on each floor	N/A	N/A	N/A			
1	<ul> <li>Length of hose reel hose</li> </ul>	N/A	N/A	N/A			
Y	Nozzle diameter	N/A	N/A	N/A			

	Automatic fire detection and alarming system				
		N/A	N/A	N/A	
	Type of detectors	N/A	N/A	N/A	
	Location of Main Panel	N/A	1.55000000	N/A	
1	Location of Repeater Panel	N/A	N/A N/A	N/A	
	Alternate source of power	N/A	N/A N/A	N/A	
	Hooters' Location	25576578.0	300000	N/A	
	MOEFA	N/A	N/A	1	
	Public Address System	N/A	Provided	N/A	
0.	Automatic Sprinkler system				
	Basement	N/A	N/A	N/A	
- 1	Ground Floor	N/A	N/A	N/A	
	<ul> <li>Sprinkler above false ceiling</li> </ul>	N/A	N/A	N/A	
1.	Internal Hydrants				
	Size of riser/down-comer	N/A	N/A	N/A	
	Number of hydrants per floor	N/A	N/A	N/A	
	Hose Box	N/A	N/A	N/A	
12.	Yard Hydrants				
		N/A	NI/A	N/A	
	Total number of hydrants     Uses Poy	N/A N/A	N/A N/A	N/A	
	Hose Box	IN/A	IVA		
13.	Pumping Arrangements			1	
	Ground Level		2//4	21/4	
	<ul> <li>Discharge of main Pump</li> </ul>	N/A	N/A	N/A	
	Head of Main pump	N/A	N/A	N/A	
	Number of main pumps	N/A	N/A	N/A	
	Jockey Pump out put	N/A	N/A	N/A	
	> Jockey pump head	N/A	N/A	N/A	
	> Standby Pump out put	N/A	N/A	N/A	
	> Standby Pump Head	N/A	N/A	N/A	
	> Auto Starting/Manual Stopping	N/A	N/A	N/A	
	> Pump House Access	N/A	N/A	N/A	
	Terrace level	- C			
	> Discharge of pump	N/A	N/A	N/A	
	> Head of the pump	N/A	N/A	N/A	
	> Power Supply	N/A	N/A	N/A	
	> Auto Starting of pump	N/A	N/A	N/A	
14.	Captive Water Storage for fire fighting				
	Underground tank capacity	N/A	N/A	N/A	
	> Draw-off connection	N/A	N/A	N/A	
1	> Fire service inlet	N/A	N/A	N/A	
	> Access to tank	N/A	N/A	N/A	
	Overhead Tank capacity	N/A	N/A	N/A	
15.	Exit Signage.	N/A	N/A	N/A	
16.	Provision of Lifts.		No Lif	t	
	Pressurization of Lift Shaft	N/A	N/A	N/A	
	Pressurization of Lift Share     Pressurization of Lift lobby	N/A	N/A	N/A	
	Communication In lift Car	N/A	N/A	N/A	
	Fireman's Grounding Switch	N/A	N/A	N/A	
	Lift Signage /	N/A	N/A	N/A	

NB

	<b>V</b> ,		N/A
Standby power supply	N/A	N/A	
Refuge Area.			18
	N/A	N/A	N/A
> Total Area > Location	N/A	N/A	N/A
Fire Control Room		, -	
D. C.	N/A	N/A	N/A
Detector System Panel     Switch Panel	N/A	N/A	N/A
<ul> <li>Flow Switch Panel</li> <li>PA System Panel</li> <li>Battery backup</li> <li>Building Floor Plans</li> </ul>	N/A	N/A	N/A
	N/A	N/A	N/A
	N/A	N/A	N/A
Special Fire Protection System for Protection of special Risks, if any:		N/A	N/A

The fire protection systems provided in the building were tested, checked and found functional at the time of inspection.

In view of the deemed compliance of the minimum standards of fire prevention and fire safety measures as required under the rules the FSC issued vide letter number F.6/DFS/MS/School/2021/SZ/284 dated 01.04.2021, renewal in accordance with the Circular No. F.16/Estate/CC/Fire Safety/2011/3298 to 3398 dated 01.03.2011 issued by the Director of Education is recommended.

Signature of Inspecting Officer
Name:- R.K. Yadav

Designation:- ADO (JKP)

DO (South West)

(SV)

Dinector

AnyloKI

FI helter as put up for narah