## GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI **HEAD QUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE NEW DELHI-110001**

No.F.6 DFS/MS/School/2024/SZ/ 450

Dated: 22 / 05 / 2024

## **FIRE SAFETY CERTIFICATE**

Certified that the NGF Junior School located at T-21, Khirki Extn. Malviya Nagar, New Delhi 110017 comprised of Ground plus one upper floor owned/occupied by NGF Junior School was issued Fire Safety Certificate by this department vide letter no. F6/DFS/MS/School/2020/SZ/65 dated 24/02/2020. The said premises was re-inspected by officer concerned of this department on 14/05/2024 in presence of Mr. Ashish Kumar and found that the said school building have deemed complied with the fire prevention and fire safety requirements in accordance with the rule 33 of Delhi Fire Service Rules 2010 and that the building is fit for occupancy class "Educational Building Group - B" (For Ground plus One upper floor) with effect from 22 /05 /2024 for a period of Three years in accordance with rule 36 unless renewed under rule37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of Delhi Fire Service Rules 2010,

Issued on 22/05 2024 at New Delhi by

Copy to: -

1. NGF Junior School at T-21, Khirki Extn. Malviya Nagar, New Delhi 110017

2. The Director of Education, Govt. of NCT of Delhi, Old Secretariat, New Delhi-110054.

## Conditions for the validity of Fire Safety Certificate:-

1. The second block in the school premise shall not be used, till fire safety arrangement in the building.

2. All the means of escape/entry/exit shall be kept free from any obstruction.

3. All the fire safety arrangements provided therein shall be maintained in good working condition at all time as seen during inspection. Any loss of life or property due to nonfunctional fire safety measures shall be at the responsibility of the management.

4. All the staff members must know the correct method of operation of firefighting system.

5. The owner/ occupier shall submit a declaration every year in Form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on

6. This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or Alteration (Clause 1.4.3 of UBBL-2016), if

7. "The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior



| 1      | Name & A   | ON REPORT  | 1 T 21 Khirki Evtn M   | alviva Naga |  |
|--------|--|--|--|-------------|--|
| -      | Name & Address of the Building                           | NGF Junior School, 1-21, Krilki Extil. Marry 1-21  |  |             |  |
| 2      | Type of Occupancy  | - Coup B (School)  |  |             |  |
| 3      | Building Comprised of                                    | A Block- Ground plus One upper Floors & B- Block Basement, Ground plus Two upper floor   |  |             |  |
|        |  | p Block Baseme   | nt. Ground plus I wo up  | per moor    |  |
| 4      | Type of Case   | - 1/C Cen  | and plue ( )ne inner 1100  | 1 )         |  |
| 5      | Details of Previous NOC                                  | F6/DFS/MS/School/2020/SZ/65 dated 24/02/2020   |  |             |  |
| 6      | Fire Safety Directives Letter No                         | Nil  |  |             |  |
| 7      | Date of Inspection                                       | 14-05-2024   |  |             |  |
| 8      | Name of the Inspecting Officers                          | Sh. Rajesh Kumar ADO (BCP)   |  |             |  |
| 9      | Name & Designation of Officers<br>from the building side | Mr. Ashish Kumar   |  |             |  |
| 10     | Year of construction                                     | 2005 & 2015  |  |             |  |
| 11     | Applicant letter No.                                     | Outdoor diary no 983 Dated 24/05/2024  |  |             |  |
| S. No. | Minimum standards on Fire Prevention                     | old NOC Provided at Site Remai   |  |             |  |
| Ţ      | and Fire Sefer, IVP 22                                   | requirements   | ESCULIA K  | MR/NMR      |  |
| 1      | and Fire Safety U/R 33                                   | 1 equitoments  |  | 1           |  |
| •      | Access to Building.                                      | 6 m  | 06 mtr   | MR          |  |
|        | Road width   | 4 m  | About on road  | MR          |  |
|        | Gate width   |  | -NA-   | -NA-        |  |
| _      | Width of internal road                                   | -NA-   | harde SAMA   |             |  |
| 2      | Number, width, type & arrangement of ex                  | its.   |  |             |  |
| 31     | a) Number of Staircase                                   |  | 02 nos   | MR          |  |
| - 7 1  | Upper floors.  | 01 No  | TO BE STREET, CANADA  | -NA-        |  |
|        | ➤ Basement floor.  | -NA-   | -NA-   | -14/4-      |  |
|        | b) Width of Staircase                                    | Julian haid.   | Piletika N   | ) (D        |  |
|        | > Upper floors   | 0.2 1.5m   | A Block- 1.25m & 1.1 m   | MR          |  |
|        | > Basement floor   | AMERICAN PROPERTY.   | el quanti 🤏 🚃 🕒 👢  | 374         |  |
|        | Dasement noor  | -NA-   | Lygerian -NA-  | -NA-        |  |
|        | c) Protection of exits                                   | Deapu Boar   | mied v la  | NTA         |  |
|        | > Fire check door  | -NA-   | -NA-   | -NA-        |  |
|        | > Pressurization   | -NA-   | -NA-   | -NA-        |  |
|        |  | One  | Provided   | MR          |  |
|        |  | 1.50 mtr   | Provided   | MR          |  |
|        | e) Width of corridor                                     | 01 mtr   | Provided   | MR          |  |
|        | f) Door size   | sent persons d   | PARKET OF  |             |  |
| 3      | Compartmentation.  | Required   | Provided   | MR          |  |
|        | Fire check door.   | -NA-   | -NA-   | -NA-        |  |
|        | <ul> <li>Sealing of electrical shafts.</li> </ul>        | -NA-   | -NA-   | -NA-        |  |
|        | Fire rating of shaft door.                               | -NA-   | -NA-   | -NA-        |  |
|        | Water curtain  | 200000   | -NA-   | -NA-        |  |
|        | Fire dampers.  | -NA-   | -INA-  | -141/4-     |  |
| 4.     | Smoke Management system.                                 | 30 ACPH  | Exhaust fan provided   | MR          |  |
|        | Basement   | The second secon |  |             |  |
|        | Upper floors   | -NA-   | -NA-   | -NA-        |  |
| 5.     | Fire Extinguishers.                                      | 1037   | 1037   | MR          |  |
|        | Total numbers  | 10 Nos   | 10 Nos   |             |  |
|        | Types  | ABC / CO2  | ABC & Co2  | MR          |  |
|        | ISI Marking  | ISI mark   | Provided   | MR          |  |
|        | First Aid Hose Reels.                                    |  | - and the state of |             |  |
| 6.     | Total numbers on each floor.                             | -NA-   | Provided   | -NA-        |  |
|        | Length of hose-reel hose.                                | -NA-   | Provided   | -NA-        |  |
|        |  | -NA-   | Provided   | -NA-        |  |
|        | Nozzle Diameter  |  | 21011000   | 414         |  |
| 7      | Automatic fire detection & alarming system.              | -NA-   | -NA-   | NIA         |  |
|        | Type of detectors  | I -NA-   | -NA-   | -NA-        |  |

|       | Location of Main Panel  | -NA-            | -NA-               | -NA   |
|-------|---|-----------------|--------------------|-------|
| 1 87  |   | -NA-            | -NA-               | -NA   |
|       | Alternate source of power   | -NA-            | -NA-               | -NA   |
|       | Hooter's location   | -NA-            | -NA-               | -NA   |
| 8.    | MOEFA   | -NA-            | -NA-               | -NA   |
| 9.    | Public Address System   | -NA-            | -NA-               | -NA   |
| 10.   | Automatic Sprinkler System  | 144             | W17                | 1     |
| N I I | Basement  | -NA-            | Provided           | -NA   |
|       | Upper floors  | -NA-            | -NA-               | -NA-  |
| 1     | Sprinkler above false ceiling   | -NA-            | -NA-               | -NA-  |
| 11.   | Internal Hydrants.  | 3.030000 8.10   | 101                | 144   |
|       | Size of Riser/Down-comer  | -NA-            | -NA-               | -NA-  |
|       | Number of Hydrant per floor   | -NA-            | -NA-               | -NA-  |
|       | Hose box.   | -NA-            | -NA-               | -NA-  |
| 12.   | Yard Hydrants.  | -IVA-           | -NA-               | -IVA- |
| 124   | Total number of hydrants.   | NA -            | NA                 | I NA  |
| 2116  | Hose box.   | -NA-            | -NA-               | -NA-  |
| 13.   | Pumping arrangements.   | -NA-            | -NA-               | -NA-  |
| 10.   | Ground Level  |                 |                    |       |
|       |   |                 | the series of      |       |
|       | <ul> <li>Discharge of main pump.</li> <li>Head of main pump.</li> </ul> | -NA-            | -NA-               | -NA-  |
|       | Number of main pumps.   | -NA-            | -NA-               | -NA-  |
|       | Jockey Pump output.   | -NA-            | -NA-               | -NA-  |
|       | Jockey Pump head.   | -NA-            | -NA-               | -NA-  |
|       | Standby Pump output.  | -NA-            | -NA-               | -NA-  |
|       | Standby Pump head.  | -NA-            | -NA-               | -NA-  |
|       | Auto Starting/Manual Stopping.  | -NA-            | -NA-               | -NA-  |
|       | Pump house access.  | -NA-            | -NA-               | -NA-  |
|       | Terrace Level   | -NA-            | -NA-               | -NA-  |
|       | Discharge of pump.  | 374 1941        |                    | 1     |
|       | Head of pump.   | -NA-            | Provided           | -NA-  |
|       | Power supply.   | -NA-            | Provided           | -NA-  |
| -44   | Auto starting of pump.  | -NA-            | Provided           | -NA-  |
| 14.   | Captive water storage for fire fighting.                                | of s-NA-ata and | Provided           | -NA-  |
|       | Underground tank capacity.  | Total           | ynog ra mily ve 💡  |       |
|       | Draw-off connection.  | -NA-            | -NA-               | -NA-  |
|       | Fire Service Inlet.   | -NA-            | -NA-               | -NA-  |
|       | Access to tank.   | -NA-            | -NA-               | -NA-  |
| - 4   | Overhead tank capacity.   | -NA-            | -NA-               | -NA-  |
| 15.   | Exit Signage.   | -NA-            | Provided           | -NA-  |
| 1-1   |   | -NA-            | Provided           | -NA-  |
| 16. I | Provision of Lifts.   | Parking June    | -NA-               |       |
| 1545  | Pressurization of lift shaft.   | -NA-            | -NA-               | -NA-  |
| -     | <ul> <li>Pressurization of lift lobby.</li> </ul>                       | -NA-            | -NA-               | -NA-  |
|       | Communication in lift car.  | -NA-            | -NA-               | -NA-  |
|       | Fireman's switch.   | -NA-            | -NA-               |       |
|       | <ul> <li>Lift signage.</li> </ul>                                       | -NA-            | -NA-               | -NA-  |
| 17. S | tandby Power Supply   | -NA-            | 3.200              | -NA-  |
| 18. R | efuge Area  | -IVA-           | -NA-               | -NA-  |
|       | Total area  | -NA-            | A part of the last | 3 7 - |
|       | • Location  | -NA-            | -NA-               | -NA-  |
|       |   | A I A           | -NA-               |       |

आज़ादी का अमृत मह



| -NA- | -NA- | -NA-                       |
|------|------|----------------------------|
|      | -NA- | -NA-                       |
|      | -NA- | -NA-                       |
|      | -NA- | -NA-                       |
| -NA- | -NA- | -NA-                       |
| -NA- | -NA- | -NA-                       |
|      |      | -NANA-<br>-NANA-<br>-NANA- |

The fire protection system provided in the building were randomly checked and found

functional at the time of inspection.

Further, the party has complied all the observation / Shortcoming already issued & communicated by this department vide letter of even no 08 dated 10/01/2024 and the School management has request to renewal the fire safety certificate in r/o basement, ground and one upper floor only.

Keeping in view of the deemed compliance of the minimum standard on fire prevention and safety measures as required under the rules, the FSC issued vide letter no F6/DFS/MS/School/2020/SZ/65 dated 24/02/2020, renewal under rule 37 of the Delhi Fire Service rules,

2010 is recommended.

Accordingly, DFA is put up for approval and signature please.

Signature of the Inspecting Officer Name: Sh. Rajesh Kumar

Design: ADO (BCP)

DO (8D) 15/20 prestruit met mel ste suf not be told for solver approved, F-1. Itela is portup