GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI- 110001

No. F6/DFS/MS/School/WZ/2024/ 496

Dated:-

## FIRE SAFETY CERTIFICATE

Certified that the Nihal International School Located at RZE-194, Nihal Vihar, Nangloi, New Delhi-110041, comprised of Ground + 01 Upper Floors only owned/occupied by the Gyan Kalyan Educational Trust, was issued Fire Safety Certificate by this department Vide Letter No. F6/DFS/MS/School/2016/WZ/1144 dated 14/07/2016. The said premises was re-inspected by the officer concerned of this department on 29/05/2024 in the presence of Sh. Krishan Kumar Shokeen (Chairman) and found that the premises/building have deemed complied with the fire prevention and fire safety requirements in accordance D.O.E. Cr. No. 3298-3398 dated 01/03/2011 and that the premises/building is fit for occupancy class "Educational Building" Group B with effect from for a period of three years, subject to compliance of the conditions, printed below,

Issued on . 03 06 2024, at New Delhi by.

Tel No. 011-23414000

Copy to: -

1. The Director, Directorate of Education, GNCT of Delhi, Old Secretariat Delhi - 110054.

2. The Principal, Nihal International School, RZE-194, Nihal Vihar, Nangloi, New Delhi-110041.

## Following fire safety directives must be adhered to:-

1. All the means of escape shall be kept free of all type of obstruction all the time.

2. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.

3. All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional if fire safety measures, management shall be responsible.

4. Any deviation, with regards to construction, ventilation, occupation, electric installation etc. may be got verified from the concerned authorities.

- 5. The Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction / unauthorized use of land if any.
- 6. All comments / directions of licensing Department shall always be permitted and followed.
- 7. The owner /occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in
- 8. The owner / occupier shall apply for renewal of this Fire Safety Certificate to the Director in 'Form J' (sub Rule (1) of Rule 37) along with copy of the certificate, six months prior to its expiry.

## INSPECTION REPORT

1. Name and address of the building: Nihal International School located at RZE-194,

Nihal Vihar, Nangloi, New Delhi-110041

2. Type of Occupancy : Educational (G + 01 Upper Floor only)

3. Type of Case : Renewal

4. Details of previous NOC : F6/DFS/MS/School/2016/WZ/1144 Dated 14/07/2016

5. Fire Safety directives Letter No. : D.O.E Circular no.3298-3398 dated 01-03-2011

6. Date of inspection : 29/05/2024

7. Name of the Inspecting Officer : Aman Kumar Lathar, ADO (JWP)

8. Name and designation of Officer

from the building side : Sh. Krishan Kumar Shokeen (Chairman)

9. Year of Construction : 2014-15

10. Applicant's letter No. : nil dated 15/05/2024

No	Minimum standards on fire prevention and fire safety U/R 33	D.O.E. Cr. No. 3298 3398 dated 01.03.2011/as per FS dated 14/07/2016	site	Remarks MR/NMR
1.	Access of building			
1	Road width	06 m	Provided	MR
1	Gate width	4.5 m	Provided	MR
	Width of internal road	NA	NA	NA
2.	Number, width, Type & Arrangen	nents of exits		
	a. Number of staircases			
	Upper floors	01	02	MR
1	Basements	NA	NA	NA
3	b. Width of staircases			
	Upper floors	1.5 m	1.5 m & 1.2 m	MR
ì	Basements	NA	NA	NA
	c. Protection of exits	11, 14	W-17 1	
	Fire check door	NA	NA	NA
	Pressurization	NA	NA	NA
	d. No of continuous staircase to terrace	NA	NA	NA
	e. Width Of Corridor	NA	NA	NA
	f. Door Size	1 m	Provided	MR
3.	Compartmentation		NA	
	Fire check door	NA	NA	NA
	Sealing of electrical shafts	NA	NA	NA
	<ul> <li>Fire Rating of shaft door</li> </ul>	NA	NA	NA
	Water Curtain	NA	NA	NA
_	Fire Dampers	NA	NA	NA
4.	The managements bystem			
	Basements	NA	NA	NA
-	• Upper floors	NA	NA	NA
5	Baronora			
	Total numbers	04 nos.	Provided	MR
-	• Types	ABC & CO <sub>2</sub>	Provided	MR
	ISI marking	ISI Marked	Provided	MR



	2.1			
6	. First – Aid Hose Reel	NA	NA	NA
	Total numbers on each floor	NA	NA.	NA NA
	<ul> <li>Length of hose reel hose</li> </ul>	NA	NA	NA
	Nozzle diameter	a system		
7.	Nozzie diameter  Automatic fire detection and alarmin	NA NA	NA	NA
	<ul> <li>Type of detectors</li> </ul>	NA	NA	NA
	Location of Main Panel	NA	NA	NA
	Location of Repeater Panel	NA	NA	NA
	<ul> <li>Alternate source of power</li> </ul>	NA NA	NA	NA
1	<ul> <li>Hooters' Location</li> </ul>		NA	NA
_	MOEFA	NA	NA NA	NA
8.	Public Address System	NA	INA	
9.	· Cominkler System		NA NA	NA
10.		NA	The state of the s	NA
		NA	NA	NA
	Upper Floor     The share false ceiling	NA	NA	11/1
	Sprinkler above false ceiling			N/A
11.	Internal Hydrants:	NA	NA	NA
	Size of riser/down- comer	NA	NA	NA
	Number of hydrants per floor	NA	NA	NA
	Hose Box	ê 1985		
12.	Vard Hydrants	NA	NA	NA
12.	Total number of hydrants		NA	NA
	Hose Box	NA		
12	Pumping Arrangements:			
13.	G 1 T avrol		T NA	NA.
	n: harres of main numn	NA	NA -	NA
	• Discharge of main pump	NA	NA	NA NA
	> Head of main pump	NA	- NA	NA NA
	Number of main pumps	NA	NA	
	> Jockey pump out put	NA	NA	NA
	> Jockey pump head	NA	NA	NA
	> Standby Pump out put	NA	NA	NA
	> Standby Pump Head	NA	NA	NA
	> Auto Staring/Manual	1111		
	stopping	NA	NA	NA
	> Pump House Access	IVA		
- 1	Terrace level	NA	NA	NA
	> Discharge of pump	NA NA	NA	NA
	> Head of the pump	COLUMN TO A STATE OF THE STATE	NA	NA
	> Power supply	NA	NA	NA
	> Auto starting of pump	NA	INA	
4.	Captive water Storage for fire fighting:	202 01	NT A	NA
7.	Under ground tank capacity	NA	NA	NA NA
	> Draw off connection	NA	NA	E CONTROL OF THE PARTY OF THE P
	> Fire service inlet	NA	NA	NA NA
	> Access to tank	NA	NA	NA
	Overhead Tank capacity	NA	NA	NA
-		NA	NA	NA
_	Exit Signage			
6.	Provision of Lifts	NA	NA	NA
	> Pressurization of Lift Shaft	NA NA	NA	NA
	> Pressurization of lift lobby	NA NA	NA	NA
	Communication in lift Car		NA NA	NA
	> Fireman's Grounding Switch	NA	NA NA	NA
	➤ Lift Signage	NA	INA	147
7.	Standby power supply	NA	NA	NA
	Refuge Area			
0.	> Total area	NA -	NA	NA
	> Location	NA NA	NA	NA
	Location	INA		****
	h),			
	Q		,*	4

19. Fire control room  Detector system	NA	NA	NA
panel > Flow Switch Panel	NA	NA	NA NA
> PA System Panel	NA	NA	NA NA
> Battery backup	NA	NA	NA
➤ Building Floor Plans	NA	NA	NA
O Special Fire Protection Systems for Protection of special Risks, if any;	NA	NA	NA

ovided in the building were checked and found functional at the time of inspection.

In view of the deemed compliance of the minimum standards of fire prevention and fire safety requirements as per D.O.E. Circular no. 3298-3398 dated 01.03.2011, renewal of Fire Safety Certificate issued vide letter no. F6/DFS/MS/School/2016/WZ/1144 Dated 14/07/2016 is recommended.

Accordingly DFA is prepared for approval & signature please.

ADO (JWP)

Six
F.S. letter is added for your monature M.

[11th 1]

OZ 16 124

AND OWN.