



GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI- 110001

7
अज्ञाती
अमृत महोत्सव

C-19

No. F6/DFS/MS/School/WZ/2024/ 829

Dated:- 27/08/2024

FIRE SAFETY CERTIFICATE

Certified that the Sanskar Vidya Mandir, Located at 2/145, Veena Enclave, Nangloi, New Delhi-110041, in a building comprised of ground + 03 upper floors but school is running at Ground + 01 Upper Floor only owned/occupied by Sanskar Vidya Mandir have complied with the fire prevention and fire safety requirements in accordance with D.O.E Circular No. 3298-3398 dated 01.03.2011 and verified by the officer concerned of Fire Service on 12/08/2024 in the presence of Sh. Mahesh Kumar Saini (Manager) and that the building/premises is fit for occupancy class "Educational Building" Group B with effect from 27/08/2024 for a period of three years, subject to compliance of the conditions, printed below.

Issued on ... 27/08/2024 at New Delhi by.

(Atul Garg)
Director

Tel No. 011-23414000

Copy to:-

1. The Deputy Director, Delhi Municipal Corporation, Civic Centre, Minto Road, Delhi-110002.
2. The Principal, Sanskar Vidya Mandir, 2/145, Veena Enclave, Nangloi, New Delhi-110041.

Following fire safety directives must be adhered to:-

1. All the means of escape shall be kept free of all type of obstruction all the time.
2. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.
3. All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional if fire safety measures, management shall be responsible.
4. Any deviation, with regards to construction, ventilation, occupation, electric installation etc. may be got verified from the concerned authorities.
5. The Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction / unauthorized use of land if any.
6. All comments / directions of licensing Department shall always be permitted and followed.
7. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in
8. The owner / occupier shall apply for renewal of this Fire Safety Certificate to the Director in 'Form J' (sub Rule (1) of Rule 37) along with copy of the certificate, six months prior to its expiry.

Atul Garg
21/08/24

INSPECTION REPORT

1. Name and address of the building: **Sanskar Vidya Mandir** located at **2/145, Veena Enclave, Nangloi, New Delhi-110041**
2. Type of Occupancy : Educational
3. Type of Case : New
4. Details of previous NOC : Nil
5. Fire Safety directives Letter No. : D.O.E Circular no.3298-3398 dated 01-03-2011
6. Date of inspection : 12/08/2024
7. Name of the Inspecting Officer : Aman Kumar Lathar, ADO (JWP)
8. Name and designation of Officer
from the building side : Sh. Mahesh Kumar Saini (Manager)
9. Year of Construction : 2010
10. Applicant's letter No. : nil dated 12/07/2024
The building comprised of Ground + 03 Upper Floors but school is running at Ground + 01 upper floor & 2nd & 3rd floor are residential purpose.

Total Plot Area	: - 250 SQ. YDS.
Covered area of ground:	- 196.67 SQ. YDS.
Covered area of 1 st floor:	- 156.70 SQ. YDS.
Total Covered area	: - 353.37 SQ. YDS

S No	Minimum standards on fire prevention and fire safety U/R 33	D.O.E. Cr. No. 3298-3398 dated 01.03.2011	Provided at site	Remarks MR/NMR																																															
1.	Access of building																																																		
	<ul style="list-style-type: none"> • Road width • Gate width • Width of internal road 	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">06 m</td> <td style="text-align: center;">Provided</td> <td style="text-align: center;">MR</td> </tr> <tr> <td style="text-align: center;">Abuts on road</td> <td style="text-align: center;">Provided</td> <td style="text-align: center;">MR</td> </tr> <tr> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> </tr> </table>	06 m	Provided	MR	Abuts on road	Provided	MR	NA	NA	NA																																								
06 m	Provided	MR																																																	
Abuts on road	Provided	MR																																																	
NA	NA	NA																																																	
2.	Number, width, Type & Arrangements of exits																																																		
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 40%;">a. Number of staircases</td> <td style="width: 20%; text-align: center;">01</td> <td style="width: 20%; text-align: center;">02</td> <td style="width: 20%; text-align: center;">MR</td> </tr> <tr> <td>• Upper floors</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> </tr> <tr> <td>• Basements</td> <td></td> <td></td> <td></td> </tr> <tr> <td>b. Width of staircases</td> <td style="text-align: center;">1.5 m</td> <td style="text-align: center;">1.5 m x 1 (G to 1st)</td> <td style="text-align: center;">MR</td> </tr> <tr> <td>• Upper floors</td> <td></td> <td style="text-align: center;">1.0 m x 1 (G to terrace)</td> <td></td> </tr> <tr> <td>• Basements</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> </tr> <tr> <td>c. Protection of exits</td> <td></td> <td></td> <td></td> </tr> <tr> <td>• Fire check door</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> </tr> <tr> <td>• Pressurization</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> </tr> <tr> <td>d. No of continuous staircase to terrace</td> <td style="text-align: center;">01</td> <td style="text-align: center;">Provided</td> <td style="text-align: center;">MR</td> </tr> <tr> <td>e. Width Of Corridor</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> </tr> <tr> <td>f. Door Size</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> </tr> </table>	a. Number of staircases	01	02	MR	• Upper floors	NA	NA	NA	• Basements				b. Width of staircases	1.5 m	1.5 m x 1 (G to 1 st)	MR	• Upper floors		1.0 m x 1 (G to terrace)		• Basements	NA	NA	NA	c. Protection of exits				• Fire check door	NA	NA	NA	• Pressurization	NA	NA	NA	d. No of continuous staircase to terrace	01	Provided	MR	e. Width Of Corridor	NA	NA	NA	f. Door Size	NA	NA	NA		
a. Number of staircases	01	02	MR																																																
• Upper floors	NA	NA	NA																																																
• Basements																																																			
b. Width of staircases	1.5 m	1.5 m x 1 (G to 1 st)	MR																																																
• Upper floors		1.0 m x 1 (G to terrace)																																																	
• Basements	NA	NA	NA																																																
c. Protection of exits																																																			
• Fire check door	NA	NA	NA																																																
• Pressurization	NA	NA	NA																																																
d. No of continuous staircase to terrace	01	Provided	MR																																																
e. Width Of Corridor	NA	NA	NA																																																
f. Door Size	NA	NA	NA																																																
3.	Compartmentation		NA																																																
	<ul style="list-style-type: none"> • Fire check door • Sealing of electrical shafts • Fire Rating of shaft door • Water Curtain • Fire Dampers 	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> </tr> <tr> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> </tr> <tr> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> </tr> <tr> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> </tr> <tr> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> </tr> </table>	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA																																		
NA	NA	NA																																																	
NA	NA	NA																																																	
NA	NA	NA																																																	
NA	NA	NA																																																	
NA	NA	NA																																																	
4.	Smoke managements System																																																		
	<ul style="list-style-type: none"> • Basements • Upper floors 	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> </tr> <tr> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> <td style="text-align: center;">NA</td> </tr> </table>	NA	NA	NA	NA	NA	NA																																											
NA	NA	NA																																																	
NA	NA	NA																																																	

5.	Fire Extinguishers			
	• Total numbers	04 nos.	10 nos.	MR
	• Types	ABC & CO ₂	Provided	MR
	• ISI marking	ISI Marked	Provided	MR
6.	First - Aid Hose Reel			
	• Total numbers on each floor	NA	NA	NA
	• Length of hose reel hose	NA	NA	NA
	• Nozzle diameter	NA	NA	NA
7.	Automatic fire detection and alarming system			
	• Type of detectors	NA	NA	NA
	• Location of Main Panel	NA	NA	NA
	• Location of Repeater Panel	NA	NA	NA
	• Alternate source of power	NA	NA	NA
	• Hooters' Location	NA	NA	NA
8.	MOEFA	NA	NA	NA
9.	Public Address System	NA	NA	NA
10.	Automatic Sprinkler System			
	• Basements	NA	NA	NA
	• Upper Floor	NA	NA	NA
	• Sprinkler above false ceiling	NA	NA	NA
11.	Internal Hydrants:			
	• Size of riser/down-comer	NA	NA	NA
	• Number of hydrants per floor	NA	NA	NA
	• Hose Box	NA	NA	NA
12.	Yard Hydrants			
	• Total number of hydrants	NA	NA	NA
	• Hose Box	NA	NA	NA
13.	Pumping Arrangements:			
	• Ground Level	NA	NA	NA
	• Discharge of main pump	NA	NA	NA
	➤ Head of main pump	NA	NA	NA
	➤ Number of main pumps	NA	NA	NA
	➤ Jockey pump out put	NA	NA	NA
	➤ Jockey pump head	NA	NA	NA
	➤ Standby Pump out put	NA	NA	NA
	➤ Standby Pump Head	NA	NA	NA
	➤ Auto Starting/Manual stopping	NA	NA	NA
	➤ Pump House Access	NA	NA	NA
	• Terrace level	NA	NA	NA
	➤ Discharge of pump	NA	NA	NA
	➤ Head of the pump	NA	NA	NA
	➤ Power supply	NA	NA	NA
	➤ Auto starting of pump	NA	NA	NA
14.	Captive water Storage for fire fighting:			
	• Under ground tank capacity	NA	NA	NA
	➤ Draw off connection	NA	NA	NA
	➤ Fire service inlet	NA	NA	NA
	➤ Access to tank	NA	NA	NA
	• Overhead Tank capacity	NA	NA	NA
15.	Exit Signage	Required	Provided	MR
16.	Provision of Lifts			
	➤ Pressurization of Lift Shaft	NA	NA	NA
	➤ Pressurization of lift lobby	NA	NA	NA
	➤ Communication in lift Car	NA	NA	NA
	➤ Fireman's Grounding Switch	NA	NA	NA
	➤ Lift Signage	NA	NA	NA
17.	Standby power supply			
18.	Refuge Area			
	➤ Total area	NA	NA	NA

MR
MR
MR

27

Location		NA	NA	NA
19.	Fire control room			
	> Detector system panel	NA	NA	NA
	> Flow Switch Panel	NA	NA	NA
	> PA System Panel	NA	NA	NA
	> Battery backup	NA	NA	NA
	> Building Floor Plans	NA	NA	NA
20.	Special Fire Protection Systems for Protection of special Risks, if any;	NA	NA	NA

Fire protection systems provided in the building were checked and found functional at the time of inspection. Shortcoming issued vide letter no. F6/DFS/MS2024/WZ/462 dated 23/07/2024 found rectified.

Keeping in view substantial compliance of the minimum standards of fire prevention and fire safety requirements as per D.O.E. Cr. No. 3298-3398 dated 01.03.2011, grant of Fire safety Certificate is recommended under rule 35 of the Delhi Fire service Rules 2010 under the DFS Act 2007.

If agree, accordingly DFA is prepared for approval & signature please.

~~DCFO (WZ)~~

~~19/8~~

~~Aman Kumar Lathar
ADO (JWP)~~

20/8/24
Dated: 19/8/24

~~CFO~~
~~20/8/24~~
~~Director~~
~~20/8/24~~
~~ADP/PAK~~

Sir, F.F. letter is put-up for your signature.

~~Director~~
~~20/8/24~~
~~n~~

~~Aman Kumar Lathar
20/8/24
ADO (JWP)~~