GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEAD QUARTERS: DELHI FIRE SERVICE, CONNAUGHT PLACE NEW DELHI

No.F6/DFS/MS/2024/SZ/ 849

Dated: 02 /09 /2024

FIRE SAFETY CERTIFICATE

Certified that the Govt. Co-Ed. Senior Secondary School, Sector-2, Dwarka, (School ID-1821029) New Delhi-110075 comprised of G+1 Upper Floors was issued Fire Safety Certificate issued by this department vide letter No. F6/DFS/MS/School/2015/SZ/1169 Dated 03/07/2015 (FSC for G+01 Upper Floor Old Block) The premises was inspected by the officer concerned of this department on 27/08/2024 in the presence of Sh. Prem Dutta Sharma (Principal) and found that premises have deem complied with the fire prevention and fire safety requirements in accordance DOE Circular 3298-3398 Dated 01/03/2011 issued by the Director of Education and that the building is fit for occupancy class B "Educational building" with effect from 62/09/2024 for a period of three years, subject to condition given below.

Issued on .. 02 09 2024.. at New Delhi by.

(AfailGarg)
Director
Delhi Fire Service

Copy to:

- The Principal, Govt. Co-Ed. Senior Secondary School, Sector-2, Dwarka, (School ID-1821029) New Delhi-110075.
- 2. The Directorate of Education Old Secretariat Delhi 110054.

Following fire safety directives must be adhered to:-

- 1. As stated by school principal another block comprised of Ground plus two upper floors shall not be used for school activities.
- 2. All the fire safety arrangements provided therein shall be maintained in good working condition at all times.
- 3. Any loss of life or property due to non-functional fire safety measures shall be at the risk and responsibility of the management.
- 4. The trained staff should be available round the clock.
- 5. Any deviations w.r.t. construction shall be verified by the concerned building sanctioning agency.
- 6. The certificate may not be treated in any case for the regularization of the unauthorized construction, if any.
- 7. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this certificate, six months prior to its expiry. www.dfs.delhigovt.nic.in.
- 8. Basement shall be used strictly as per building bye laws.
- 9. The owner/occupier shall submit a declaration every year in the form 'K' provided in the first schedule of Delhi Fire Service Rules 2010, form is available on www.dfs.delhigovt.nic.in

- Name & address of the building: Govt. Co-Ed. Senior Secondary School, Sector-2, Dwarka, (School ID-1821029) New Delhi-110075
- 2. Type of Occupancy: Educational building
- 3. Type of Case : Renewal
- Details of previous NOC :F6/DFS/MS/School/2015/SZ/1169 Dated 03/07/2015 (FSC for G+01 Upper Floor Old Block)

5. Fire Safety directives Letter No.

: DOE 3298-3398 dated 01.03.2011

6. Date of inspection

:27/08/2024

7. Name of the Inspecting Officer

:Udai vir singh, ADO (DWK)

8. Name and designation of Officer

from the building side

:Sh. Prem Dutta Sharma (Principal).

9. Year of Construction

: Old before 2010,2015& New Block 2019,20

10. Applicant's letter No

: 345 dated 30/07/2024

No	Minimum standards on fire prevention and fire safety U/R 33	NBC Requ	irement	Provided at site	Remarks MR/NMR			
١.	Access of building							
	 Road width 	50 T- 10 T C T C T C T C T C T C T C T C T C T		cessible	MR			
	Gate width	To the second se		cessible	MR			
	Width of internal road	NA	NA	*	NA			
2.	Number, width, Type & Arrangements of exits							
	a. Number of staircases							
	 Upper floors 	05 no's		Provided	MR			
	Basements	NA	W.	NA NA	1			
	b. Width of staircases							
	 Upper floors 		block- 4x1:	50cm&1x131cm	MR			
		NA		NA	NA			
	 Basements 							
	c. Protection of exits	NA		NA	NA			
	 Fire check door 	NA		NA -	NA			
	Pressurization No of continuous	NA		NA	NA			
	staircase to terrace e. Width Of Corridor f. Door Size	1.5 mtr Provided			MR			
		1m for old buil		87cm	MR old case			
3.	Compartmentation	the second of						
	Fire check door	NA .	NA		NA			
	 Sealing of electrical shafts 	NA	NA		NA			
	• Fire Rating of shaft door	NĄ	NA		NA			
	• Water Curtain	NA	NA		274			
	• Fire Dampers	NA	NA		NA			
		<u> </u>			NA			

	5	×
N	1	•

.	Smoke managements S	ystem		NA	N.e.
	Basements		0 a/c per hour	Natural ventilation	MR
- 1	 Upper floors 	12	2 a/c per hour	Natural ventulation	MK
	Fire Extinguishers			11.1	MR
-	Total numbers			Provided.	MR
	8.8		BC & CO ₂	ABC	MR
	IS marking	• Types		ISI marked	MK
	First – Aid Hose Reels		e.		NA
) <u>. </u>	Total numbers		NA	NA ·	I NA
	floor	on caca		13.11	NA
		reel hose	NA	NA NA	NA NA
	Norgle diamete	 Length of hose reel hose Nozzle diameter 		NA	IVA
,	Automatic fire detection	n and alarm	ing system	1.20	NA
7	Type of detector	rs	NA	NA	NA NA
	Location of Ma	in Panel	NA	NA	NA NA
	Location of Re		NA	NA	NA NA
	Location of Re Alternate source	e of nower	NA	NA	NA NA
			NA	NA	
_	Hooters' Locat	IOII	NA	NA	NA
8.	MOEFA		NA	NA	NA NA
9.	Public Address System	vstem			- Inta
10.		Journ	NA	NA	NA NA
	Basements Liver Floor		NA	NA	NA NA
	Upper FloorSprinkler above	false ceilin	o NA	NA	NA
	Sprinkler above I to all Ledgents:	t laise cellin	6 1		1374
11.	Internal Hydrants:	um- comer	NA	NA	NA NA
		Size of riser/down-comer		NA	NA NA
	Number of flyd Hose Box	Number of hydrants per floor		NA	NA
				iN C	1374
12.	Yard Hydrants Total number of			NA .	NA
	hydrants		Α	NA	NA
	Hose Box			and the second second	
12	2 Zamana in a managana	is:			
13.	Ground Level				NA
	Discharge of m	ain pump	NA	NA	NA NA
	> Head of main p	oump	NA -	NA NA	NA NA
	> Number of mai	in pumps	NA	NA NA	NA NA
	> Jockey pump o	ut put	NA	NA NA	NA NA
	> Jockey pump h	ead	NA	NA NA	NA NA
	Standby Pump	out put	NA	NA NA	NA NA
	> Standby Pump	Head	NA	NA NA	NA ·
	> Auto Staring/N	ianuai	NA	INA	
	stopping	ccess	MA	NA	NA
	 Pump House A Terrace level 	ccss	NA	144.	
	 Terrace level Discharge of p 	ump	NA	NA	NA
	> Head of the pu		NA	NA	NA
	> Power supply			NA	NA
	> Auto starting o	f pump	NA	NA	NA
1			N// 1/ 100 1-100 1		1
14	Captive water Storage Under ground to	ank canacity	NA NA	NA	NA
	> Draw off conn	ection	NA	NA	NA
	Fire service inl	et	NA	NA	NA NA
8	> Access to tank			NA ·	

1		7-13					
	Exit Signage	Required	Provided	MR			
2	Provision of Lifts			IVIIC			
1	Pressurization of Lift Shaft		NA	NA			
	Pressurization of lift lobby	NA	NA	NA			
	Communication in lift Car	NA	NA	NA			
	Fireman's Grounding	NA	NA	NA NA			
	Switch Lift Signage	NA .	NA	NA			
17.	Standby power supply	NA	NA	NA			
18.	Refuge Area						
	Total area	NA	NA	NA			
	➤ Location	NA	NA	NA			
19.	Fire control room						
	Detector system panel N	Α	NA	NA			
		Α	NA	NA			
		A	NA ·	NA			
		A	NA	NA			
		A	NA	NA			
20.		Ä	ABC	NA			

The fire protection systems provided in the building were test checked and found

functional at the time of inspection.

In view of the deemed compliance of minimum standards on fire prevention and fire under the rules the FSC issued vide as required F6/DFS/MS/School/2015/SZ/1169 Dated 03/07/2015 renewal under Rule 37 of the Delhi Fire Service Rules 2010 is recommended.

Signature of the Inspecting Officer
Name Uday Un Signation
Designation