GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI- 110001



No. F6/DFS/MS/School/NDZ/2024/889

Dated: 10/09/2024

FIRE SAFETY CERTIFICATE

Certified that MCD Primary School located at A - Block, New Kondli, Delhi - 110096, comprised of ground plus one upper floor (Excluding New Block) owned / occupied by MCD letter Certificate vide Safety issued Primary School, was Fire F6/DFS/MS/School/NDZ/2021/501 dated 16/07/2021. The school building was re-inspected by the officer concerned of this department on 02/09/2024 in the presence of Mrs. Kiran Vohra (Principal) and found that school have complied with the fire prevention and fire safety requirements in accordance with the Circular No. F.16/Estate/CC/Fire Safety/2011/3298 to 3398 dated 01/03/2011 issued by the Director of Education and the school building is fit for occupancy class "Educational Building" Sub-Div. (B-1) Gr.+1 only (Excluding New Block) with effect from 10/09/2024 for a period of three years in accordance with rule 36 unless renewal under rule 37 or sooner cancelled under rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010 subject to conditions printed bellow.

Issued on 1009 2024 at New Delhi by.

DIRECTOR

OCCUPANTION OF CONTROL OF CONTROL

Copy to: -

1. The Dy. Director of Education, D - Block, Anand Vihar, Delhi-110091

2. The Principal, MCD Primary School located at A - Block, New Kondli, Delhi - 110096.

Conditions for the validity of Fire Safety Certificate

- 1. The owner /occupier shall apply for renewal of this fire safety certificate to the Director in form J' [sub rule (1) of rule 37] along with a copy of this certificate, six months prior to its expiry
- 2. All the means of escape shall be kept free of all the type of obstruction all the time.
- 3. All the employees shall be acquainted with the use and maintenance of all fire equipment's and method of smooth and speedy safe evacuation of occupants in case of emergency.
- 4. All the firefighting equipment's shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
- 5. The clarification with regards electrical installation, ventilation, structure stability set back areas, occupancy and constructional deviation in building etc. may be got verified from the authorities concerned.
- 6. This Fire Safety Certificate cannot be treated in any case for regularizations of unauthorized construction unauthorized use of land if any.
- 7. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in.

NIIL

			INSPECT	TION REPORT				
1		Nar	ne & address of the building	MCD Primary School located at A-Block, New Kondli, Delhi-110096.				
2		Bui	lding is comprised of	Ground plus one upper floor (Excluding New Block)				
3		Тур	oe of occupancy	Educational Building				
4		Ту	ne of case	Renewal				
5		Details of previous FSC F6/DFS/MS/School/NDZ/2021/501 dated 16/07/2021						
6		Fire	e safety directives letter no.	F16/Estate/CC/Fire Safety/2011/3298 to 3398 dated 01/03/2011.				
7	Н	Dat	te of inspection	02/09/2024				
8	Н		me of the inspecting officers	Yashwant Singl	n Meena ADO (L.N)			
9		Na	me of the designation of officer m the building side					
10			ar of construction	2005/2013				
11	H	An	plicant's letter no.	Email dated 13/	/08/2024			
S.N	7	pr	Minimum standard of fire evention and fire safety U/R 33	Requirement Circular	Provided at site	Remarks MR/NMF		
1		Ac	cess to Building:			1.00		
		A	Road width	6.0 mtrs.	12 mtrs. /	MR		
- 1		В	Gate width	N/A	N/A	N/A		
		C	Width of internal road	N/A	N/A	N/A		
			a Upper floor b Basement	02 no. N/A	02 nos. N/A	MR N/A		
						IVA		
		В	Width of staircases					
		B	a Upper floor	1.5 mtrs.	1.50 mtrs each	MR		
			a Upper floor b Basement	1.5 mtrs. N/A	1.50 mtrs each			
		С	a Upper floor b Basement Protection of exits	N/A	N/A	MR N/A		
			a Upper floor b Basement Protection of exits a Fire check door	N/A N/A	N/A N/A	MR N/A N/A		
			a Upper floor b Basement Protection of exits	N/A	N/A	MR N/A N/A N/A		
		C	a Upper floor b Basement Protection of exits a Fire check door b Pressurization No. of continuous staircases	N/A N/A N/A	N/A N/A N/A	MR		
		C D E F	a Upper floor b Basement Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor Door size	N/A N/A N/A 01 no	N/A N/A N/A 01 no	MR N/A N/A N/A MR		
3		C D E F	a Upper floor b Basement Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor	N/A N/A N/A 01 no 1.5 mtrs,	N/A N/A N/A 01 no	MR N/A N/A N/A MR		
3		C D E F	a Upper floor b Basement Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor Door size	N/A N/A N/A 01 no 1.5 mtrs,	N/A N/A N/A 01 no 1.5 mtrs. / 1.0 meter.	MR N/A N/A N/A MR MR		
3		C D E F Co	a Upper floor b Basement Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor Door size mpartmentation: Fire check door	N/A N/A N/A 01 no 1.5 mtrs. 1.0 meter.	N/A N/A N/A 01 no 1.5 mtrs. / 1.0 meter.	MR N/A N/A N/A MR MR MR		
3		C D E F Co	a Upper floor b Basement Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor Door size mpartmentation: Fire check door Sealing of electrical shafts	N/A N/A N/A 01 no 1.5 mtrs. 1.0 meter. NA N/A	N/A N/A N/A 01 no 1.5 mtrs. / 1.0 meter. NA N/A	MR N/A N/A N/A MR MR		
3		C E F Co A B	a Upper floor b Basement Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor Door size mpartmentation: Fire check door	N/A N/A N/A 01 no 1.5 mtrs. 1.0 meter. NA N/A N/A	N/A N/A N/A 01 no 1.5 mtrs. / 1.0 meter. NA N/A N/A	MR N/A N/A N/A MR MR MR N/A N/A N/A		
3		C D E F Co A B C	a Upper floor b Basement Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor Door size mpartmentation: Fire check door Sealing of electrical shafts Fire rating of shaft door	N/A N/A N/A 01 no 1.5 mtrs. 1.0 meter. NA N/A N/A N/A N/A	N/A N/A N/A 01 no 1.5 mtrs. / 1.0 meter. NA N/A N/A N/A N/A	MR N/A N/A N/A MR MR MR N/A N/A N/A		
3		C D E F Co A B C D E	a Upper floor b Basement Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor Door size mpartmentation: Fire check door Sealing of electrical shafts Fire rating of shaft door Water curtain	N/A N/A N/A 01 no 1.5 mtrs. 1.0 meter. NA N/A N/A	N/A N/A N/A 01 no 1.5 mtrs. / 1.0 meter. NA N/A N/A	MR N/A N/A N/A MR MR MR N/A N/A N/A N/A N/A		
		C D E F Co A B C D E	a Upper floor b Basement Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor Door size mpartmentation: Fire check door Sealing of electrical shafts Fire rating of shaft door Water curtain Fire dampers	N/A N/A N/A 01 no 1.5 mtrs, 1.0 meter. NA N/A N/A N/A N/A N/A	N/A N/A N/A 01 no 1.5 mtrs. / 1.0 meter. NA N/A N/A N/A N/A N/A N/A	MR N/A N/A N/A MR MR MR N/A N/A N/A N/A N/A		
		C D E F Co A B C D E Sn	a Upper floor b Basement Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor Door size mpartmentation: Fire check door Sealing of electrical shafts Fire rating of shaft door Water curtain Fire dampers toke Management System:	N/A N/A N/A 01 no 1.5 mtrs. 1.0 meter. NA N/A N/A N/A N/A	N/A N/A N/A 01 no 1.5 mtrs. / 1.0 meter. NA N/A N/A N/A N/A	MR N/A N/A N/A MR MR MR		

MCD Primary School located at A-Block, New Kondli, Delhi-110096

•	Fire	Extinguisher:		08 nos.	MR		
T	A	Total numbers	04 nos.	CO ₂ & ABC	MR		
Ī	В	Types	CO ₂ & ABC	Provided	MR		
	C	ISI marking	ISI Marked	Flovided			
6	Firs	st-Aid-Hose Reel:		N/A	N/A		
	A	Total numbers of each floor	N/A	N/A N/A	N/A		
101	В	Length of hose reel hose	N/A	N/A	N/A		
	C	Nozzle diameter	N/A	IN/A			
7	Aut	tomatic Fire Detection and Ala	rming System:	N/A	N/A		
_	A	Type of detectors	N/A	N/A	N/A		
	В	Location of main panel	N/A	N/A N/A	N/A		
	C	Location of repeater panel	N/A		N/A		
	D	Alternate source of power	N/A	N/A	MR		
	E	Hooter's Location	N/A	Provided	N/A		
8		DEFA:	N/A	N/A	Sancay Age Sevi		
9	C41237	blic Address System:	N/A	Provided	MR		
10		tomatic Sprinkler System:			27/1		
10	A	Basement	N/A	N/A	N/A		
	B	Upper floor	N/A	N/A	N/A		
	C	Sprinkler above false ceiling	N/A	N/A	N/A		
11		ternal Hydrants:		¥			
11	A	Size of riser/down-comer	N/A	N/A	N/A		
	B	Number of hydrants per floor	N/A	N/A	N/A		
	C	Hose box	N/A	N/A	N/A		
12	1.00	C Hose box					
12	A	Total number of hydrants	N/A	N/A	N/A		
	B	Hose box	N/A	N/A	N/A		
13		imping Arrangements:					
1	Ground level						
1	A	Discharge of main pump	N/A	N/A	N/A		
	B	Head of main pump	N/A	N/A	N/A		
	C	Number of main pumps	N/A	N/A	N/A		
	D	Jockey pump out put	N/A	N/A	N/A		
	E	Jockey pump head	N/A	N/A	N/A		
	F	Standby pump out put	N/A	N/A	N/A		
	G		N/A				
	H		N/A N/A	N/A N/A	N/A N/A		
	111	stopping	11/74	IN/A	IN/A		
	I	Pump house access	N/A	N/A	N/A		
2	Terrace Level						
	A		N/A	N/A	N/A		
	В		N/A	N/A	N/A		
	C		N/A	N/A	N/A		
	D		N/A	N/A	N/A		
4		1			11/2		

MCD Primary School located at A-Block, New Kondli, Delhi-110096.

4	Cap	tive Water Storage for Fire Fighting:			N/A
	A	Underground tank capacity	N/A	N/A	N/A
1	В	Draw-off connection	N/A	N/A	N/A N/A
	C	Fire service inlet	N/A	N/A	N/A N/A
	D	Access to tank	N/A	N/A	N/A
	E	Overhead tank capacity	N/A	N/A	N/A
15	1	t Signage:	N/A	N/A	N/A
16	-	vision of Lifts:		NI/A	N/A
p.E.	A	Pressurization of lift shaft	N/A	N/A	N/A
	B	Pressurization of lift lobby	N/A	N/A N/A	N/A
	C	Communication in lift car	N/A	N/A N/A	N/A
	D	Firemen's grounding switch	N/A	N/A N/A	N/A
	E	Lift signage	N/A	N/A	N/A
17		andby Power Supply:	N/A	IVA	
18		fuge Area:		N/A	N/A
-	A	Total area	N/A	N/A	N/A
	В	Location	N/A	1077	
19			1 27/4	N/A	N/A
	A	Detector system panel	N/A N/A	N/A	N/A
	В		N/A N/A	N/A	N/A
1	C	126	N/A N/A	N/A	N/A
1	D	Battery backup	N/A	N/A	N/A
	E	Building floor plans	N/A	N/A	N/A
2	0 S	pecial Fire Protection systems for rotection of special Risks, if any:	14/23		

The fire protection systems provided in the building were tested, checked at random and found functional at the time of inspections.

Keeping in view of the deemed compliance of minimum standards on fire prevention and fire safety measures as required under the Rules the Fire Safety Certificate issued vide letter no. F6/DFS/MS/School/NDZ/2021/501 dated 16/07/2021 under the Circular no. F.16/Estate/CC/Fire Safety/2011/3298 to 3398 dated 01/03/2011 is recommended to be renewed.

No file is pending with me before disposal of this case.

Signature of the Inspecting Officer
Name Yashwant Singh Meena
Designation ADO (Laxmi Nagar)

DY. CFO/NDZ

5 91 gon

Director M X19/20

sir F. f. Letter is

ofos Sign. Ale

6/9/2024