

## GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI- 110001



o. F6/DFS/MS/School/NDZ/2024/ 1009

Dated:

## FIRE SAFETY CERTIFICATE

Certified that MCD Primary School located at Vivek Vihar Phase-2, Shahdara, Delhi -110095, comprised of ground floor only owned / occupied by MCD Primary School, was issued Fire Safety Certificate vide letter No F6/DFS/MS/School/2021/NDZ/587 dated 06/08/2021. The school buildings have complied with the fire prevention and fire safety requirements in accordance with the Circular No. F.16/Estate/CC/Fire Safety/2011/3298 to 3398 dated 01/03/2011 issued by the Director of Education and re-inspected by the officer concerned of this department on 03/10/2024 in presence of Mrs. Lalita Gupta (Principal) of the school and the school building is fit for occupancy class (Group - B) "Educational Building" with effect from \_10/10/2024 for a period of three years in accordance with rule 36 unless renewal under rule 37 or sooner cancelled under rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010 subject to conditions printed bellow.

Issued on 10 10 2024 at New Delhi by.

Copy to: -

- 1. The Director of Education, MCD, 419, Udyog Sadan, FIE, Patparganj Area, Delhi 110092.
- 2. The Principal, MCD Primary School located at Vivek Vihar Phase-2, Shahdara, Delhi -110095.

## Conditions for the validity of Fire Safety Certificate

- 1. The owner /occupier shall apply for renewal of this fire safety certificate to the Director in form J' [sub rule (1) of rule 37] along with a copy of this certificate, six months prior to its expiry
- 2. All the means of escape shall be kept free of all the type of obstruction all the time.
- 3. All the employees shall be acquainted with the use and maintenance of all fire equipment's and method of smooth and speedy safe evacuation of occupants in case of emergency.
- 4. All the firefighting equipment's shall be maintained in perfect working condition all the time and any lapse rendering non-functional of fire safety measures, management shall be responsible.
- 5. The clarification with regards electrical installation, ventilation, structure stability set back areas, occupancy and constructional deviation in building etc. may be got verified from the authorities
- 6. This Fire Safety Certificate cannot be treated in any case for regularizations of unauthorized
- 7. The owner / occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in.

		INSPECT	ION REPORT				
	Name	& address of the building	MCD Primary S	school located at Vi	ivek Vihar		
			Phase-2, Shahdara, Delhi -110095.				
1	Building is comprised of Ground floor only						
			Educational Building				
	Type o	of case	Renewal  F6/DFS/MS/School/2021/NDZ/587 dated 06/08/2021.  F16/Estate/CC/Fire Safety/2011/3298 to 3398 dated 01/03/2011.				
	Detail	s of previous FSC					
	Detail	, or previous 199					
5	Fire sa	afety directives letter no.					
		1					
,	Date of inspection 03/10/2024						
8	Name	of the inspecting officers	Yashwant Singh	Meena ADO (L.N)			
9	Name	of the designation of officer	Mrs. Lalita Gupt	ta (Principal)			
		the building side					
10	Year of construction		2012				
11	Applicant's letter no.		Outdoor Diary No. 6846 dated 23/09/2024  Remarks				
S.No	N	Ainimum standard of fire ention and fire safety U/R 33	Requirement	Provided at site	MR/NMR		
1		ess to Building:	C O meters	6.5 mtrs.	MR		
	A	Road width	6.0 mtrs.	3.80 mtrs	MR		
	-	Gate width	N/A		N/A		
	C Width of internal road		N/A	N/A	IVA		
2	Number, Width, Type and Arrangement of Exits:						
	A Number of staircases						
		a Upper floor	N/A	N/A	N/A		
		b Basement	N/A	N/A	N/A		
1	В	Width of staircases		17			
		a Upper floor	N/A	N/A	N/A		
1 1	_	b Basement	N/A	N/A	N/A		
		U   Dascillelli	14/11				
	C	Protection of exits					
			N/A	N/A	N/A		
		Protection of exits a Fire check door b Pressurization	N/A N/A	N/A N/A	N/A		
		Protection of exits a Fire check door b Pressurization No. of continuous staircases	N/A N/A	N/A			
	C	Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace	N/A N/A	N/A N/A	N/A		
	D E	Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor	N/A N/A N/A	N/A N/A N/A	N/A N/A		
	D E F	Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor  Door size	N/A N/A N/A N/A	N/A N/A N/A	N/A N/A N/A		
3	D E F	Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor Door size mpartmentation:	N/A N/A N/A N/A N/A O1 mtr	N/A N/A N/A N/A 01 mtr	N/A N/A N/A MR		
3	C D E F Co	Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor Door size mpartmentation: Fire check door	N/A	N/A N/A N/A N/A O1 mtr	N/A N/A N/A MR		
3	C D E F Co A B	Protection of exits  a Fire check door  b Pressurization  No. of continuous staircases to terrace  Width of corridor  Door size  mpartmentation:  Fire check door  Sealing of electrical shafts	N/A N/A N/A N/A O1 mtr  NA N/A	N/A N/A N/A N/A O1 mtr  NA N/A	N/A N/A N/A MR NA N/A		
3	C D E F Co A B C	Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor Door size mpartmentation: Fire check door Sealing of electrical shafts Fire rating of shaft door	N/A N/A N/A N/A O1 mtr  NA N/A N/A N/A	N/A N/A N/A N/A O1 mtr  NA N/A N/A N/A	N/A N/A N/A MR NA N/A N/A N/A		
3	C D E F Co A B C D	Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor Door size mpartmentation: Fire check door Sealing of electrical shafts Fire rating of shaft door Water curtain	N/A N/A N/A N/A N/A O1 mtr  NA N/A N/A N/A N/A N/A	N/A N/A N/A N/A O1 mtr  NA N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A N/A N/A		
3	C D E F Co A B C D E	Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor Door size mpartmentation: Fire check door Sealing of electrical shafts Fire rating of shaft door Water curtain Fire dampers	N/A N/A N/A N/A O1 mtr  NA N/A N/A N/A	N/A N/A N/A N/A O1 mtr  NA N/A N/A N/A	N/A N/A N/A MR NA N/A N/A N/A		
3	C D E F Co A B C D E Sn	Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor Door size mpartmentation: Fire check door Sealing of electrical shafts Fire rating of shaft door Water curtain Fire dampers noke Management System:	N/A N/A N/A N/A O1 mtr  NA N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A O1 mtr  NA N/A N/A N/A N/A N/A N/A	N/A		
3	C D E F Co A B C D E	Protection of exits a Fire check door b Pressurization No. of continuous staircases to terrace Width of corridor Door size mpartmentation: Fire check door Sealing of electrical shafts Fire rating of shaft door Water curtain Fire dampers	N/A N/A N/A N/A N/A O1 mtr  NA N/A N/A N/A N/A N/A	N/A N/A N/A N/A O1 mtr  NA N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A N/A N/A		

MCD Primary School located at Vivek Vihar Phase-2, Shahdara, Delhi -110095.

5.	Fire	Extinguisher:		00	MR	
	A	Total numbers	02 nos.	02 nos.	2.46.57.2.5	
	В	Types	CO <sub>2</sub> & ABC	CO <sub>2</sub> & ABC	MR	
	C	ISI marking	ISI Marked	Provided	MR	
5	Firs	t-Aid-Hose Reel:				
	A	Total numbers of each floor	N/A	N/A	N/A	
	В	Length of hose reel hose	N/A	N/A	N/A	
-	C	Nozzle diameter	N/A	N/A	N/A	
7	Aut	omatic Fire Detection and Ala	rming System:			
	A	Type of detectors	N/A	N/A	N/A	
ı	В	Location of main panel	N/A	N/A	N/A	
		Location of repeater panel	N/A	N/A	N/A	
Ì	D	Alternate source of power	N/A	N/A	N/A	
Ì	E	Hooters	N/A	N/A	N/A	
3	MC	DEFA:	N/A	N/A	N/A	
9	Pul	olic Address System:	N/A	N/A	N/A	
10		tomatic Sprinkler System:				
	A	Basement	N/A	N/A	N/A	
	В	Upper floor	N/A	N/A	N/A	
	C	Sprinkler above false ceiling	N/A	N/A	N/A	
11		ternal Hydrants:				
11	A	Size of riser/down-comer	N/A	N/A	N/A	
	B	Number of hydrants per floor	N/A	N/A	N/A	
	C	Hose box	N/A	N/A	N/A	
12	-	ard Hydrants:				
	A	Total number of hydrants	N/A	N/A	N/A	
	B	Hose box	N/A	N/A	N/A	
13		mping Arrangements:	14/21	1071	11/21	
1	_	Ground level				
	A	Discharge of main pump	N/A	N/A	N/A	
	B	Head of main pump	N/A	N/A	N/A	
	C	Number of main pumps	N/A	N/A	N/A	
	D	Jockey pump out put	N/A	N/A	N/A N/A	
	E		N/A		_	
	F	Standby pump out put	N/A N/A	N/A N/A	N/A N/A	
	G			5557.57.55		
	H		N/A N/A	N/A	N/A	
	11	stopping	IN/A	N/A	N/A	
	I	Pump house access	N/A	N/A	N/A	
2	Terrace Level					
	A	Discharge of pump	N/A	N/A	N/A	
	В		N/A	N/A	N/A	
	ь	punip	1 1/12	11//1	1 11/ ~	
	C		N/A	N/A	N/A	

W

14	Ca	imary School located at Vivek Vihar Po ptive Water Storage for Fire Fighting:	<u> </u>				
	A	Underground tank capacity	N/A	N/A	N/A		
	В	Draw-off connection	N/A	N/A	N/A		
	C	Fire service inlet	N/A	N/A	N/A		
	D	Access to tank	N/A	N/A	N/A		
	E	Overhead tank capacity	N/A	N/A	N/A		
15	Ex	it Signage:	N/A	N/A	N/A		
16	Pro	ovision of Lifts:	•				
	A	Pressurization of lift shaft	N/A	N/A	N/A		
	В	Pressurization of lift lobby	N/A	N/A	N/A		
	C	Communication in lift car	N/A	N/A	N/A		
	D	Firemen's grounding switch	N/A	N/A	N/A		
	E	Lift signage	N/A	N/A	N/A		
17	Sta	ndby Power Supply:	N/A	N/A	N/A		
18	Re	Refuge Area:					
	A	Total area	N/A	N/A	N/A		
	В	Location	N/A	N/A	N/A		
19	Fire Control Room:						
	A	Detector system panel	N/A	N/A	N/A		
	В	Flow switch panel	N/A	N/A	N/A		
	Č	PA system panel	N/A	N/A	N/A		
	D	Battery backup	N/A	N/A	N/A		
	E	Building floor plans	N/A	N/A	N/A		
20		ecial Fire Protection systems for	N/A	N/A	N/A		
20		stection of special Risks, if any:					

The fire protection systems provided in the building were tested, checked at random and found functional at the time of inspections.

Keeping in view of the deemed compliance of minimum standards on fire prevention and fire safety measures as required under the Rules the Fire Safety Certificate issued vide letter no. F6/DFS/MS/School/2021/NDZ/587 dated 06/08/2021 under the Circular no. F.16/Estate/CC/Fire Safety/2011/3298 to 3398 dated 01/03/2011 is recommended to be renewed.

No file is pending with me before disposal of this case.

Signature of the Inspecting Officer
Name Yashwant Singh Meena
Designation ADO (Laxmi Nagar)

DY. CFO/NDZ

Z 2/0/2

Dineeta

etter is Durup for sign. f

10/10/2024