0/22

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEAD QUARTERS: DELHI FIRE SERVICE: NEW DELHI - 110001

<u>66</u>

No F 6 / DFS / MS / 2024 /School/WZ/ 055

Dated 22 10 2024

FIRE SAFETY CERTIFICATE

Certified that the M.C. Primary School located at Metro Vihar, Pocket B, Holambi Kalan, Delhi-110082 comprised of Ground and First floor was issued FSC by this department vide letter No F6/DFS/MS/2021/School/WZ/735 dated 10.09.2021. The premises was re-inspected by the officer concerned of this department on 08.10.2024 in the presence of Sh. Krishan Kumar (In-charge), and observed that all the fire prevention and fire safety arrangements as provided in the premises found in good working condition. The premises have deemed complied with fire prevention & fire safety requirements in accordance with circular issued by Director of Education letter no 3298-3398 dated 01.03.2011 and the building/ premise is fit for occupancy Group B Educational with effect from ... 22.10.2011 for a period of three years, subject to compliance of the conditions mentioned below:

Issued on .22.1.10. 2024.. at New Delhi by

(Atul Garg) Director Ph. 011-23414000

Copy to:-

1. The Director, Education, Government of NCT of Delhi. Old Sect. Delhi-110054

2. The Principal, M.C. Primary School located at Metro Vihar, Pocket B, Holambi Kalan, Delhi-110082.

Conditions for the validity of Fire Safety Certificate:

1. All the fire safety arrangement provided there-in shall be maintained in good working conditions at all times.

2. Loss of life or property due to non functional fire safety measure shall be at the responsibility of the management.

3. The trained fire fighting staff should be available round the clock.

4. Any deviation with regard to the construction etc shall be verified by the concerned building sanctioning agency.

5. This certificate cannot be treated in any case for regularizations of unauthorized construction.

 The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director of Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry".

7. The owner / occupier shall submit a declaration every year in form "K" provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhigovt.nic.in

8. All the means of escape shall be kept free of any obstruction all the time to evacuate the occupant, in a safe manner, in the event of emergency.

INSPECTION REPORT

M.C. Primary School, Metro Vihar, Pocket-B, Holambi Kalan, 1. Name & address of the building :

Delhi- 110082.

2. Type of Occupancy Educational 3. Building Comprised of Ground plus First floor

4. Type of Case Renewal

5. Details of Previous NOC F6/DFS/MS/2021/School/WZ/735 dated 10/09/2021 6. Fire Safety directives letter No : 7. Date of inspection : 8. Name of Inspecting Officer : 9. Name and designation of officers From the building side : 10. Year of Construction DOE circular No. 3298-3398 dated 01/03/2011

08/10/2024

R.K.Sinha, ADO (BW)

Sh. Krishan Kumar (In-charge)

io.	Minimum Standards on fire prevention and fire safety U/R 33	DOE	Provided at site	Remarks	
	Access to building	Requirement		MR/NMR	
	Road width	6 m	Provided) (D	
	Gate width .	4.5 m	Directly Accessible	MR MR	
	Width of internal road	NA	NA NA	NA	
2.	Number, Width, Type & Arrangemen	t of Exits		IVA	
	a. Number of staircases				
	Upper Floors	02	02	MR	
	Basements	NA	NA	NA	
	b. Width of staircases				
	Upper Floor	1.50 m each	Provided	MR	
	Basements	NA	NA	NA	
	c. Protection of exits	2.004	***	IVA	
	Fire check door	NA	NA	NA	
	Presurization	NA NA	NA NA		
		IVA	INA	NA	
	d. No. of continuous staircases to terrace	- NA	NA	NA.	
	e. Width of Corridor	NA	NA	NA	
	f. Door Size	1 m	Provided	MR	
3.	Compartmentation				
	Fire check door	NA	NA	NA	
		NA NA		2000	
	Sealing of electrical shafts		NA	NA	
	Fire Rating of shaft door	NA NA	NA NA	NA	
	Water Curtain Fire Decreases	NA NA	NA NA	NA	
4.	• Fire Dampers	INA	NA	NA	
7.	Smoke Management System				
	Basements	NA	NA	NA	
	Upper floors	Required	Naturally Ventilated	MR	
5.	Fire Extinguishers				
	Total numbers	05	05	MR	
	• Types	ABC Type	Provided	MR	
	IS marking	Required	Provided	MR	
6.	First-Aid Hose Reels				
	Total numbers on each floor	NA	NA	NA	
	Length of hose reel hose	NA	NA	NA	
	Nozzle diameter	NA	NA -	NA	
7.	Automatic fire detection and alarming system				
	Type of detectors	NA	NA	NA	
	Location of Main Panel	NA	NA	NA	
	Location of Repeater Panel	NA	NA	NA NA	
	Alternate source of power	NA NA	NA NA	NA NA	
	2000 or power	24.77	11/1	INA	
	Hooters' Location	NA OL	NA	NA	

N-	14
~	

		P ,		
8.	MOEFA	NA	NA	NA
9.	Public Address System	NA	NA	ŇA
10.	Automatic Sprinkler System			
	Basement	NA	NA	ŇĀ
	Ground Floor	NA	NA	NA NA
		NA	NA	NA NA
11.	Sprinkler above false ceiling Internal Hydrants			, , , , , , , , , , , , , , , , , , ,
		F-25-3		
	Size of riser/down-comer	NA	NA	NA
	Number of hydrants per floor	NA	NA	NA
	Hose Box	NA	NA	NA
2.	Yard Hydrants			
	Total number of hydrants	NA	NA	NA
	Hose Box	NA	NA	NA
3.	Pumping Arrangements			
	Ground Level			
	Discharge of main Pump	NA	NA	NA
	➤ Head of Main pump	NA	NA	NA
	> Number of main pumps	NA	NA	NA
	> Jockey Pump out put	NA	NA	NA
	Jockey pump head	NA	NA	NA
	> Standby Pump out put	NA	NA	NA
	➤ Standby Pump Head	NA	NA	NA
	➤ Auto Starting/Manual Stopping	NA	NA	NA
	➤ Pump House Access	NA	NA	NA
	Terrace level			
	➢ Discharge of pump	NA	NA	NA
	➤ Head of the pump	NA	NA	NA
	➤ Power Supply	NA	NA	NA
	> Auto Starting of pump	NA NA	NA NA	NA NA
	Captive Water Storage for fire fighting			IVA
	Underground tank capacity	NA	NA	NA
	> Draw-off connection	NA NA	NA NA	NA NA
	> Fire service inlet	NA NA	NA NA	NA NA
	> Access to tank	NA NA	NA NA	NA NA
	Overhead Tank capacity	NA NA	NA NA	NA NA
	Exit Signage.	Required	Provided	MR
2	Provision of Lifts.			
	Pressurization of Lift Shaft	NA	NA	NA
	Pressurization of Lift lobby	NA	NA NA	NA NA
	Communication In lift Car	NA NA	NA NA	NA NA
1	Fireman's Grounding Switch	NA	NA NA	NA NA
1	Lift Signage	NA NA	NA NA	1
7	Standby power supply	NA NA	NA NA	NA NA
+	Refuge Area.	na	NA.	NA
1	N=1 = 10 = 210			
-	➤ Total Area ➤ Location	NA	NA	NA
		NA	NA	NA

NA I	NA	
		NA
		NA
	NA	NA
NA T	NA	NA
NA	NA	
NA		NA
	NA	NA
	NA NA NA NA NA	NA NA NA NA NA NA NA NA NA

The fire protection systems provided in the building were tested, checked and found functional at the time of inspection.

Note: Electric meter found installed at safer place.

Keeping in view of deemed compliance of the minimum standards of fire prevention and fire safety measures as required under DOE circular no. 3298-3398 dated 01/03/2011, it is recommended to renew the Fire Safety Certificate issued vide letter number F6/DFS/MS/2021/School/WZ/735 dated 10/09/2021.

Signature of Inspecting Officer Name: Rajeev Kumar Sinha Designation: ADO/B.W.

Delayers on have

Dresopor

16/10/20ry

OCFO! SEST. MILE LANK

Denestary My (10) 20 Applient

Justo Br Spr 6

(810/24