GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI- 110001

o. F6/DFS/MS/School/WZ/2024/ 1066

Dated:-

28/10/2024

FIRE SAFETY CERTIFICATE

Certified that the Birchwood Junior's School, Located at Plot No. 23, First Floor, Khasra No. 126/119, Main Najafgarh Road, Nangloi, Delhi-110041, is running at First Floor in a building comprised of Ground + 02 Upper Floor only owned/occupied by Birchwood Junior's School have complied with the fire prevention and fire safety requirements in accordance with D.O.E Circular No. 3298-3398 dated 01.03.2011 and verified by the officer concerned of Fire Service on 07/10/2024 in the presence of Ms. Ekta (Manager) and that the building/premises is fit for occupancy class " Educational Building" Group B with effect from 28/10/2024 for a period of three years, subject to compliance of the conditions, printed below.

Issued on . 28/10/2024 at New Delhi by.

Tel No. 011-23414000

Copy to:-

1. The Deputy Director, Delhi Municipal Corporation, Civic Centre, Minto Road, Delhi-110002.

2. The Principal, Birchwood Junior's School, Plot no. 23, First Floor, Khasra No. 126/119, Main Najafgarh Road, Nangloi, Delhi-110041.

Following fire safety directives must be adhered to:-

1. This FSC is valid for school area's first floor only.

2. All the means of escape shall be kept free of all type of obstruction all the time.

3. All the employees shall be acquainted with the use and maintenance of all fire equipments and method of smooth and speedy safe evacuation of occupants in case of emergency.

4. All the fire fighting equipments shall be maintained in perfect working condition all the time and any lapse rendering non-functional if fire safety measures, management shall be responsible.

5. Any deviation, with regards to construction, ventilation, occupation, electric installation etc.

may be got verified from the concerned authorities.

6. The Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction / unauthorized use of land if any.

All comments / directions of licensing Department shall always be permitted and followed.

8. The owner /occupier shall submit a declaration every year in form 'K' provided in the first schedule of Delhi Fire Service Rule 2010. The form is available on www.dfs.delhigovt.nic.in

9. The owner / occupier shall apply for renewal of this Fire Safety Certificate to the Director in 'Form J' (sub Rule (1) of Rule 37) along with copy of the certificate, six months prior to its expiry.

INSPECTION REPORT

1. Name and address of the building: Birchwood Junior's School located at Plot No. 23,

First Floor, Khasra No. 126/119, Main Najafgarh

Road, Nangloi, Delhi-110041

Type of Occupancy

: Educational (School running at First Floor only)

Type of Case

: New

Details of previous NOC

: Nil

5. Fire Safety directives Letter No.

: D.O.E Circular no.3298-3398 dated 01-03-2011

6. Date of inspection

: 07/10/2024

7. Name of the Inspecting Officer

: Aman Kumar Lathar, ADO (JWP)

8. Name and designation of Officer

Ground -Shops
1st floor -School

from the building side

: Ms. Ekta (Manager)

2nd floor-Vacant Total Covered Area of 1st

: 2007

floor=568.55 m²

10. Applicant's letter No.

9. Year of Construction

: nil dated nil

The building is comprised of ground + 02 upper floors but school is running at first floor only.

S No	Minimum standards on fire prevention and fire safety U/R 33	D.O.E. Cr. No. 3298- 3398 dated 01.03.2011		Provided at site	Remarks MR/NMR		
1.	Access of building	Oc. Provided MR					
	Road width	4.5 m P		rovided	MR NA		
	 Gate width 			rovided			
	 Width of internal road 	NA		NA		N/A	
	Number, width, Type & Arrangen	ents of exits					
	 a. Number of staircases 			02 MR		MR	
	 Upper floors 	01		04		NΛ	
	 Basements 	NA NA					
	b. Width of staircasesUpper floors	1.5 m 1.5 m x 1		1 (G to Terrace 1 (G to 1st floor	r)	MR	
J	Uniform Park Country Town No. 1945	NA NA		NA		NA	
- 1	Basements		9				
	c. Protection of exits	NΛ		NA		NA	
1	 Fire check door 	NA NA		NA		NA	
	Pressurization No of continuous	01	- I	rovided	1	MR	
	staircase to terrace					NA	
- 11	e. Width Of Corridor	NΛ		NΛ			
	f. Door Size	NΛ		NA		NA	
	Compartmentation			NA			
-	and I I done	NA		NΛ		NA	
	 Scaling of electrical 	NA		NA		NA	
	shafts	NA		NA	â	NA	
Ш	Fire Rating of shaft door	NA		NA		NA	
Ш	Water Curtain	NA NA		NA		NA	
Ш	Fire Dampers Section		110		3 7		
	Smoke managements System	NΛ	7	NA		NΛ	
	Basements Upper floors	NA		NA		NΛ	

1	
---	--

5.	Fire Extinguishers			27780
	 Total numbers 	03 nos.	Provided	MR
	 Types 	ABC & CO ₂	Provided	MR
	 ISI marking 	ISI Marked	Provided	MR
6.	First – Aid Hose Reel			
	 Total numbers on each floor 		NΛ	NA
- 1	 Length of hose reel hose 	NA	NA	NA
	 Nozzle diameter 	NA	NA	NA
7.	Automatic fire detection and alarm	ning system		
	 Type of detectors 	NA	NΛ	NA
- 1	 Location of Main Panel 	NA	NA	NA
	 Location of Repeater Pane 	I NA	NΛ	NΛ
- 1	 Alternate source of power 	NA	NΛ	NA
	 Hooters' Location 	NA	NA	NA
8.	MOEFA	NA	NA	NA
9.	Public Address System	NA	NA	NA
10.	Automatic Sprinkler System			
1.00	Basements	NA	NΛ	NA
	Upper Floor	NA	NΛ	NΛ
	Sprinkler above false ceili	ng NA	NΛ	NA
11.	Internal Hydrants:	6		
i do	Size of riser/down-comer	NΛ	NΛ	NA
	Number of hydrants per fl	27.0	NΛ	NA
	Hose Box	NA	NΛ	NA
12	Yard Hydrants			7.9
12.	Total number of hydrants	NΛ	NΛ	NA
		NA	NA	NA
	Hose Box A managements:			
13.	Pumping Arrangements:			r de
	Ground Level Ground Level Ground Level	NA	NΛ	NA
	Discharge of main pump	NA	NA	NA
	> Head of main pump	NA	NA	NA
	> Number of main pumps	NA	NA	NΛ
	> Jockey pump out put	NA	NA	NA
	Jockey pump headStandby Pump out put	NA	NA	NA
	> Standby Pump Head	NA	NA	NA
	> Auto Staring/Manual	NΛ	NA	NA
	stopping	8,55,5		
	> Pump House Access	NA	NΛ	NA
	Terrace level			1 275
	> Discharge of pump	NA	NA	NA
	> Head of the pump	NA	NΛ	NA NA
	> Power supply	NA	NA	NA NA
	> Auto starting of pump	NA	NA	N/
	Captive water Storage for fire fig			T 514
14.	Captive water Storage for the light	ity NA	NA	NA NA
	Under ground tank capac Graphaction	NA	NA	N/
	> Draw off connection	NA	NΛ	N/
	> Fire service inlet	NA	NA	N/
	Access to tank	NA	NA	N/
	Overhead Tank capacity	Required	Provided	MI
15	5 Exit Signage			
16.	Provision of Lifts	afi NA	NA	N/
	Droccurization of LIII Sti	art.	NΛ	N/
	Dressurization of fill look	, , , , , , , , , , , , , , , , , , ,	NA	N/
1	Communication in lift Co	ai	NA	N/
	Fireman's Grounding Sv	NA NA	NΛ	N.
	1 10 Clange	18/3		N/
	Lift Signage		NIA	
17.	- www.nly	NA	NA	***

	A	N-3					
8.	Refuge Area						
	> Total area	NA	NA	NΛ			
_	> Location	NA	NA	NA			
9.	Fire control room						
	> Detector system	NΛ	NA	NA			
	panel > Flow Switch Panel	NΛ	NA	NA			
	PA System Panel	NΛ	NΛ	NA			
	Battery backup	NΛ	NΛ	NA			
- A	➤ Building Floor Plans	NA	NΛ	NA			
0.	Special Fire Protection Systems for Protection of special Risks, if any;	NA	NA	- NA			
	functional at the time of inspection Note:- The school manager has confirming area, so map is not ap Keeping in view substantial prevention and fire safety required.	as given an affid oproved from MCD. intial compliance of	of the minimum	standards of fire			
1							
	01.03.2011, grant of Fire safety Certificate is recommended under rule 35 of the Delh						
	Fire service Rules 2010 under the DFS Act 2007.						
	Accordingly DFA is prep		signature please.				
	Trade,			1			
2	crochor) on wik			nan Kumar Latha ADO (JWP)			
d	Re enamina	and but	up as per	corcular st			
No. of	Sù,	(2) d	1910				
Υ	Ke-examin	ed as by	DOE.	icular			
3.	8298/3398. some regi 18smed.	dated of	7.2011.Al	leady or			
	DFA B re	- submittes	In app;	roval pl.			
Y.	121/10		(141/h/19			
	Sty Ince when	sehoul is	nunning &	ADD GWS			
		Contd'	21 in sory				