

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEADQUARTERS: DELHI FIRE SERVICE: NEW DELHI-110001

No. F.6/DFS/MS/2024/SZ/109

Dated: 17/01/2024

To

Mr. O.M SOMAN (Estate Manager)
Kailash Apartments Pvt Ltd,
900, Siddharth Building, 96,
Nehru Place, New Delhi 110019.

Sub: Regarding Renewal of Fire Safety Certificate in r/o Deepak Building No 13, Nehru Place, New Delhi 110019.

Sir,

This has reference with letter no nil dated 06/11/2023, received through outdoor diary no 8363 dated 07/11/2023 on the subject cited above. In this concretion it is to inform you that the premise was inspected by the concern officers of this department on 15-01-2024 in the presence of Mr. Pardeep Kumar & observed that the building is comprised of 08 storied with Basement. During the course of inspection, the following shortcoming observed were noticed:-

1. Fire check door found removed at some places.
2. Electrical meter installed inside the staircase at all levels.

In view of above Shortcomings, the application for issuance Fire Safety Certificate is rejected. The occupancy of the building/premises in absence of requisite fire safety arrangements shall be at the risk and liability of the owner/occupier. The Licensing authority/ Statutory Authority may take suitable necessary action as deemed fit.

Yours faithfully,

(Atul Garg)
Director
Delhi Fire Service