

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEADQUARTERS, DELHI FIRE SERVICE, NEW DELHI - 110001

No. F.6/DFS/MS/GH/WZ/2024/103

Dated: 07/03/2024

To,

The Joint Commissioner of Police,
Licensing Unit, 1st floor, Police Station,
Defence Colony, New Delhi.
adlcp.lic-dl@nic.in

Sub:- Inspection report in respect of M/s. The Anand Villas by cherish (A Unit of Bright Hospitality) Located at 1st, 2nd & 3rd floor, C- 3, 4, Phase 2, Ashok Vihar Road, Ashok Vihar, New Delhi - 110052.

Sir,

Please refer to your Online Application ID. No. 2024010900260 dated 14/02/2024 on the subject cited above. In this connection, it is to inform you that the said premise was inspected by the officer concerned of this department on 04/03/2024 in the presence of Sh. Rinku Lohan (Caretaker) to check the Fire safety arrangements.

During inspection, it was observed that the building is comprised of Basement + Stilt + Ground + 03 Upper Floors. Fire safety arrangements such as Fire Extinguishers, First-Aid Hose Reel, MOEFA, Internal Hydrant etc. However, following shortcomings were observed:-

1. Fire Check Doors are not provided.
2. Smoke management systems are not provided.
3. First-Aid hose reel is provided but not functional.
4. Carbon Monoxide (CO), Smoke/ Heat detectors are provided but not functional.
5. MOEFA is provided but not functional.
6. Sprinkler system is provided but not functional.
7. Internal Hydrant is provided but not functional.
8. Terrace pump of capacity of 900 LPM is not provided.
9. Overhead water storage tank capacity of 10,000ltr is not provided.
10. Exit signages is not provided.
11. Special Fire Protection Systems for HT/LT panel is not provided.
12. A restaurant namely sufiana is running at Upper Ground Floor & kitchen at stilt floor are not allowed.


In view of above shortcomings, the application for issuance Fire Safety Certificate is rejected. The occupancy of the building/premises in absence of requisite fire safety arrangements shall be at the risk and liability of the owner/occupier. The licensing Authority/Statutory Authority may take suitable necessary action as deemed fit.

Yours faithfully,


(Atul Garg)
Director

Copy to: -

1. The Owner/Occupier M/s. The Anand Villas by cherish (A Unit of Bright Hospitality) Located at 1st, 2nd & 3rd floor, C- 3, 4, Phase 2, Ashok Vihar Road, Ashok Vihar, New Delhi - 110052. (Online Application ID. No. 2024010900260 dated 14/02/2024)
2. The Deputy Health Officer, MCD, Keshavpuram Zone, New Delhi.


06/3/2024